

# Customer No. 00270 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

_		) Group Art Unit: 1632
In re the Application of		) ) Examiner: R. Shukla
James M. Wilson et al	Section 25	)
Appln No. 09/757,673		)
Filed: January 10, 2001		)
For: METHOD FOR RECOMBINANT ADENO-ASSOCIATED VIRUS- DIRECTED GENE THERAPY		) ) )
Commissioner for Patents		

Alexandria, VA 22313-1450

# **DECLARATION PURSUANT TO 37 CFR 1.132**

Sir:

- I, James M. Wilson, residing at 1350 N. Avignon Drive, Gladwyne, Pennsylvania 19035, do declare and state that:
- I am a co-inventor of the above-identified patent application and I have 1. reviewed the current Office Action, the pending claims, US Patent No. 5,858,351, Podsakoff et al ("Podsakoff") and Fisher et al, J. Virol., 79:520-532 (1996) ("Fisher").
- I have also reviewed the Declaration of Dr. Guangping Gao and am familiar with the experiments performed under the direction of Dr. Gao in the laboratories of The University of Pennsylvania.
- Podsakoff at column 18, lines 20-35, describes production of 3. recombinant AAV (rAAV) virions in human 293 cells. 293 cells were transfected by standard calcium phosphate precipitation with rAAV, infected with human adenovirus

Page 1 of 3

**BEST AVAILABLE COPY BEST AVAILABLE COPY**  serotype 2 (Ad2) and incubated as described. Cells were ultimately layered onto a cesium chloride gradient centrifugation, extracted from the gradient and heat inactivated. While heat treatment of the helper adenovirus can affect the infectivity of the adenovirus, heat treatment does not remove helper adenovirus or adenoviral protein contaminants. Helper adenovirus and adenoviral protein contaminants are immunogenic, regardless of heat treatment.

- 4. As described in the specification, it is advantageous to provide rAAV that has reduced contamination with helper adenovirus and adenovirus proteins. The results of the experiments described in the Declaration of Dr. Gao demonstrate that there is a reduction in helper adenovirus and adenovirus protein contaminants in rAAV preparations achieved by each subsequent round of cesium chloride gradient centrifugation.
- proteins may be achieved by conventional means known by one of skill in the art at the time of the above-identified application and include, e.g., fractionation methods, size exclusion columns; and other methods based on separation by size and density. These methods are capable of providing a rAAV at least as free of contamination with helper adenovirus and adenovirus proteins as that provided by the four rounds of cesium chloride gradient centrifugation exemplified in the application. Furthermore, methods to measure helper adenovirus and adenovirus protein contamination levels were known by one of skill in the art at the time of filing of the above-identified patent application and include, e.g., Western blot, ELISA, and PCR techniques.
  - 6. As a person signing below, I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and

that such willful false statements may jeopardize the validity of the application or any patent issues thereon.

James M. Wilson

Date:

#### **CURRICULUM VITAE**

PERSONAL DATA:

Name: Born: James M. Wilson May 29, 1955

**EDUCATION:** 

Undergraduate: Graduate: B.A., Chemistry, Albion College, Albion, Michigan, 1973-1977 Ph.D., Biological Chemistry, University of Michigan Medical

School, Ann Arbor, Michigan, 1977-1984

Professional: M.D., University of Michigan Medical School,

Ann Arbor, Michigan, 1977-1984

POSTGRADUATE TRAINING:

Internship:

Medical Services, Massachusetts General Hospital

Boston, Massachusetts, 1984-1985

Residency:

Medical Services, Massachusetts General Hospital

Boston, Massachusetts, 1985-1986

Research Fellowship:

Postdoctoral Fellow at the Whitehead Institute, Massachusetts

Institute of Technology, 1986-1988

#### PAST ACADEMIC APPOINTMENTS:

Assistant Professor to Associate Professor, Internal Medicine and Biological Chemistry University of Michigan, 1988-1993

Assistant Investigator, Howard Hughes Medical Institute University of Michigan, 1988-1993

Chief, Division of Molecular Medicine and Genetics University of Michigan, 1991-1993

Chief, Division of Medical Genetics, Department of Medicine University of Pennsylvania, 1993-2000

Professor and Chair, Department of Molecular and Cellular Engineering University of Pennsylvania, 1993-2001

Director, Institute for Human Gene Therapy University of Pennsylvania, 1993-2002

# CURRENT ACADEMIC APPOINTMENTS:

Professor of Medicine University of Pennsylvania, 1993-Present

John Herr Musser Professor of Research Medicine University of Pennsylvania, 1993-Present

Professor, The Wistar Institute, 1993-Present

Head, Gene Therapy Program
Division of Medical Genetics, Department of Medicine
University of Pennsylvania, 2002-Present

# BOARDS AND CONSULTING POSITIONS:

1988-1990	Member, Scientific Advisory Board and Consultant Somatix, Inc., Cambridge, MA,
1991-1992	Member, Scientific Advisory Board, Targetech, Inc.
1993-2002	Member, Medical Advisory Council, Cystic Fibrosis Foundation
1994-1997	Member, Genomics Advisory Board, SmithKline Beecham Pharmaceuticals
1995-1999	Member, Advisory Council, National Center for Research Resources, National Institutes of Health
1995-2000	Consultant, Genovo, Inc.
1996-present	Trustee, The Franklin Institute Member, New Ventures Committee; Franklin Center Committee
1998-present	Member, External Advisory Committee, Therapeutics Development Centers Program, Cystic Fibrosis Foundation
1998-present	Chairman, Gene Therapy Task Force, Muscular Dystrophy Association
1998-present	Member, Executive Committee, Combined Degree Physician Scholar Program, University of Pennsylvania
1998-present	Member, External Scientific Advisory Committee, Pittsburgh Human Gene Therapy Center
1999-present	Trustee, Albion College
1999-present	Member, Advisory Committee for the Career Awards in the Biomedical Sciences Program, Burroughs Welcome Fund
1999-2000	Member, Drug Development Advisory Committee, Cystic Fibrosis Foundation
1999-present	Member, Scientific Task Force, Juvenile Diabetes Research Foundation
2001-present	Member, Board of Advisors, The Stop ALD Foundation

2001-present

Member, NIDDK Medical Student Research Training Program University of Pennsylvania, Advisory Committee

2002-2005

Member, Medical Science Review Committee (MSRC), Juvenile Diabetes

Research Foundation International

#### **EDITORIAL POSITIONS**

1991-1995 1993-present	Human Gene Therapy, Editorial Board Somatic Cell and Molecular Genetics, Editorial Board
1993-present	Gene Therapy, Editorial Board
1995-2003	Human Gene Therapy, Associate Editor
1995-2004	Journal of Virology, Editorial Board
1996-present	Circulation, Editorial Board
1997-present	Molecular Medicine, Editorial Board
1997-present	DNA and Cell Biology, Editorial Board
1998-present	Journal of Clinical Investigation, Editorial Board
1998-present	Journal of Genetic Medicine, Editorial Board
1999-2003	Molecular Therapy, Associate Editor
1999-present	Regenerative Medicine, Associate Editor
	Human Gene Therapy, Editor-in-Chief
2003-present	numan Gene Therapy, Editor-in-Onici
2003-present	Genetic Vaccines and Therapy, Editorial Board
2003-present	Molecular Therapy, Editorial Board

#### HONORS AND AWARDS:

1976 1977-1980 1980-1984	Phi Beta Kappa, Albión College National Science Foundation Predoctoral Fellowship, University of Michigan Fellow in the Medical Scientist Training Program, University of Michigan Thomas Francis, Jr. Memorial Award, March of Dimes
1982	University of Michigan Student Achievement Award
1983	Medical Scientist Training Program Award for Excellence
1984 1984	Dean's Award for Research Excellence
1984	William Dodd Robinson Award for Excellence in Internal Medicine
1989	Young Investigator's Award of the Central Society for Clinical Research
1999	Hickman Lecturer, Central Society for Clinical Research
1990	Jerome W. Conn Award for Distinguished Research by a Junior Faculty Member
1992	Henry Russell Award for Outstanding Faculty Member at University of Michigan
1992	Distinguished Alumni Award, Albion College
1993	Philadelphia Business Journal Health Care Heroes Award
1998	Maurice Hilleman-Merck Research Laboratories Lecturer of the
1990	American Society for Virology
1998	Keynote Speaker, Albion College Opening Convocation
2000	Keynote Speaker, Penn State College of Medicine Graduate Student Research Forum
2000	Keynote Speaker, University of Medicine and Dentistry of NJ, Research Day
2001	Keynote Speaker, American Association for Laboratory Animal Science Opening Session
_00.	trepriese at the control of the cont

## MEMBERSHIPS AND OFFICES IN PROFESSIONAL SOCIETIES:

1990-present	American Association for the Study of Liver Diseases, Member
1990-present	American Association for the Advancement of Science, Member
1990-present	Federation of American Societies for Experimental Biology
	American Federation for Clinical Research
	American Society for Clinical Investigation

1993-present	John Morgan Society
1994-present	American Society for Microbiology
1995-present	Molecular Medicine Society
1996-present	American Society of Gene Therapy, Member
1998-1999	American Society of Gene Therapy, President
1999-2004	American Society of Gene Therapy, Advisory Board Member
1998-present	Association for Patient-Oriented Research, Founding Member
2000-present	Regenerative Medicine Society, Member
2001-2004	American Society of Gene Therapy, Gene Therapy of Genetic Diseases
	Committee: Member

#### **CERTIFICATION AND LICENSURE:**

1986	Massachusetts License, Registration, Number 658001
1988	Michigan License, Registration, Number 54053
1989	Diplomate, American Board of Internal Medicine, Number 122362
1993	Pennsylvania License, Number MD049539L

#### **BIBLIOGRAPHY**

Ph.D. Thesis: Human Hypoxanthine-Guarnine Phosphoribosyltransference: Molecular Basis of the Enzyme Deficiency States

## I. Completed Publications In Peer Reviewed Journals

- Hine J, Demsey RC, Evangelista RA, Jarvis ET and Wilson JM. Secondary amine catalysis of the oximation of acetone. J Org Chem 42:1593-1599, 1977.
- 2. Anderson JJ, Wilson JM and Oxender DL. Defective transport and other phenotypes of a periplasmic "leaky" mutant of *Escherichia Coli* K-12. J Bacteriol 140:351-358, 1979.
- Wilson JM, Mitchell BS, Daddona PE and Kelley WN. Purinogenic immunodeficiency diseases: Differential effects of deoxyadenosine and deoxyguanosine on DNA synthesis in human T lymphoblasts. J Clin Invest 64:1475-1484, 1979.
- Wilson JM, Baugher BW, Landa LE and Kelley WN. Human hypoxanthine-guanine phosphoribosyltransferase: Purification and characterization of mutant forms of the enzyme. J Biol Chem 256:10306-10312, 1981.
- 5. Wilson JM, Daddona PE, Otoadese T and Kelley WN. Adenine phosphoribosyltransferase in patients with disorders of purine and pyrimidine metabolism. J Lab Clin Med 99:163-174, 1982.
- 6. Wilson JM, Daddona PE, Simmonds HA, Van Acker JK and Kelley WN. Human adenine phosphoribosyltransferase: Immunochemical quantitation and protein blot analysis of mutant forms of the enzyme. J Biol Chem 257:1508-1515, 1982.
- 7. Wilson JM, Baugher BW, Mattes PM, Daddona PE and Kelley WN. Human hypoxanthineguanine phosphoribosyltransferase: Demonstration of structural variants in lymphoblastoid cells derived from patients with a deficiency of the enzyme. J Clin Invest 69:706-715, 1982.

- 8. Wilson JM, Tarr GE, Mahoney WC and Kelley WN. Human hypoxanthine-guanine phosphoribosyltransferase: Complete amino acid sequence of the erythrocyte enzyme. J Biol Chem 257:10978-10985, 1982.
- Wilson JM, Landa LE, Kobayashi R and Kelley WN. Human hypoxanthine-guanine phosphoribosyltransferase: Tryptic peptides and posttransitional modification of the erythrocyte enzyme. J Biol Chem 257:14830-14834, 1982.
- 10. Wilson JM, Tarr GE and Kelley WN. Human hypoxanthine (guanine) phosphoribosyltransferase: An amino acid substitution in a mutant form of the enzyme isolated from a patient with gout. Proc Natl Acad Sci USA 80:870-873, 1983.
- Wilson JM, Kobayashi R, Fox IH and Kelley WN. Human hypoxanthine-guanine phosphoribosyltransferase: Molecular abnormality in a mutant form of the enzyme (HPRT<sub>Toronto</sub>). J Biol Chem 258:6458-6460, 1983.
- 12. Argos P, Hanei M, Wilson JM and Kelley WN. A possible nucleotide-binding domain in the tertiary fold of phosphoribosyltransferases. J Biol Chem 258:6450-6457, 1983.
- Wilson JM and Kelley WN. Molecular basis of hypoxanthine-guanine phosphoribosyltransferase deficiency in a patient with the Lesch-Nyhan syndrome. J Clin Invest 71:1331-1335, 1983.
- Daddona PE, Mitchell BS, Morenweiser HJ, Davidson BL, Wilson JM and Koller CA. Adenosine deaminase deficiency with normal immune function: An acidic enzyme mutation. J Clin Invest 72:483-492, 1983.
- 15. Wilson JM, Frossard P, Nussbaum R, Caskey CT and Kelley WM. Human hypoxanthine-guanine phosphoribosyltransferase: Detection of a mutant allele by restriction endonuclease analysis. J Clin Invest 72:767-772, 1983.
- 16. Wilson JM, Young AB and Kelley WN. Hypoxanthine-guanine phosphoribosyl-transferase deficiency: The molecular basis of the clinical syndromes. New Engl J Med 309:900-910, 1983.
- 17. O'Toole TE, Wilson JM, Gault MH and Kelley WN. Human adenine phosphoribosyl-transferase: Characterization from subjects with a deficiency of enzyme activity. Biochem Genet 21:1121-1134, 1983.
- 18. Wilson JM and Kelley WN. Human hypoxanthine-guanine phosphoribosyl- transferase: Structural alteration in a dysfunctional enzyme variant (HRPT<sub>Munich</sub>) isolated from a patient with gout. J Biol Chem 259:27-30, 1984.
- Wilson JM and Kelley WN. Molecular genetics of hypoxanthine-guanine phosphoribosyltransferase deficiency in man. Arch Intern Med 145:1895-1900, 1985.
- Wilson JM, Stout JT, Palella TD, Davidson BL, Kelley WN and Caskey CT. A molecular survey of hypoxanthine-guanine phosphoribosyltransferase deficiency in man. J Clin Invest 77:188-195, 1986.
- 21. Wilson JM, O'Toole TE, Argos P, Shewach DS, Daddona PE and Kelley WN. Human adenine phosphoribosyltransferase: Complete amino acid sequence of the erythrocyte enzyme. J Biol Chem 261:13677-13683, 1986.
- Wilson JM, Jefferson DM, Chowdhury JR, Novikoff P, Johnston DE, and Mulligan RC. Retrovirusmediated transduction of adult hepatocytes. Proc Natl Acad Sci USA 85:3014-3018, 1988.

- Wilson JM, Johnston DE, Jefferson DM, and Mulligan RC. Correction of the genetic defect in hepatocytes from the Watanabe heritable hyperlipidemic rabbit. Proc Natl Acad Sci USA 85:4421-4425, 1988.
- 24. Davidson BL, Chen S-J, Wilson JM, Kelley WN and Palella TD. Hypoxanthine-guanine phosphoribosyltransferase: Genetic evidence for identical mutations in two partially deficient subjects. J Clin Invest 82:2164-2167, 1988.
- 25. Wilson JM, Birinyi LK, Salomon RN, Libby P, Callow AD, and Mulligan RC. Implantation of vascular grafts lined with genetically modified endothelial cells. Science 244:1344-1346, 1989.
- Wu CH, Wilson JM, and Wu GY. Targeting genes: Delivery and persistent expression of a foreign gene driven by mammalian regulatory elements in vivo. J Biol Chem 264:16985-16987, 1989.
- 27. Patel A, Hardy M, Chowdhury NR, Wajsman R, Sandoval M, Wilson JM, and Chowdhury JR. Long-term correction of genetic defect of liver function in rat by transplantation of liver cells after ultraviolet irradiation. Mol Biol and Med 6:187-196, 1989.
- 28. Wilson JM, Danos O, Grossman M, Raulet DH, and Mulligan RC. Expression of human adenosine deaminase in mice reconstituted with retrovirus-transduced hematopoietic stem cells. Proc Natl Acad Sci USA 87:439-443, 1990.
- 29. Wilson JM, and Chowdhury JR. Prospects for gene therapy of familial hypercholesterolemia. Mol Biol and Med 6:223-232,1990.
- 30. Wilson JM, Ping AJ, Krauss JC, Mayo-Bond L, Rogers CE, Anderson DC, and Todd RF III. Correction of CD18 deficient lymphocytes by retrovirus-mediated gene transfer. Science 248:1413-1416, 1990.
- 31. Drumm ML, Pope HA, Cliff WH, Rommens JM, Marvin SA, Tsui LC, Collins FS, Frizzell RA, and Wilson JM. Correction of the cystic fibrosis defect *in vitro* by retrovirus-mediated gene transfer. Cell 62:1227-1233, 1990.
- 32. Wilson JM, Chowdhury NR, Grossman M, Wajsman R, Epstein, A., Mulligan RC, and Chowdhury JR. Temporary amelioration of hyperlipidemia in LDL receptor-deficient rabbits transplanted with genetically modified hepatocytes. Proc Natl Acad Sci USA 87:8437-8441, 1990.
- 33. Wilson JM, Chowdhury NR, Grossman M, Gupta S, Jeffers J, Huang TJ, and Chowdhury JR. Transplantation of allogeneic hepatocytes into LDL receptor deficient rabbits leads to transient improvement in hypercholesterolemia. Clin Bio 3:21-26, 1991.
- 34. Wu GY, Wilson JM, Shalaby F, Grossman M, Shafritz DA, and Wu CH. Receptor-mediated gene delivery *in vivo*: partial correction of genetic analbuminemia in nagase rats. J Biol Chem 266:14338-14342, 1991.
- 35. Yao S-N, Wilson JM, Nabel EG, Kurachi S, Hachiya HL, and Kurachi K. Expression of human factor IX in rat capillary endothelial cells: Towards somatic gene therapy for hemophilia B. Proc Natl Acad Sci USA 88:8101-8105, 1991.
- Grossman M and Wilson JM. Frontiers in gene therapy: LDL Receptor Replacement for Hypercholesterolemia. J Lab Clin Med 119:457-460, 1992.

- 37. Krauss JC, Mayo-Bond L, Rogers CE, Weber KL, Todd RF III, and Wilson JM. An *in vivo* animal model of gene therapy for leukocyte adhesion deficiency. J Clin Invest 88:1412-1417, 1991.
- 38. Krauss JC, Bond LM, Todd RF III, and Wilson JM. Expression of retroviral transduced human CD18 in murine cells: an *in vitro* model of gene therapy for leukocyte adhesion deficiency. Hum Gene Thera 2:221-228, 1991.
- 39. Grossman M, Raper S, and Wilson JM. Towards liver-directed gene therapy: Retrovirus mediated gene transfer into human hepatocytes. Som Cell and Mol Gen 17:601-607, 1991.
- 40. Engelhardt J, Allen E, and Wilson JM. Reconstitution of Tracheal Grafts with a Genetically Modified Epithelium. Proc Natl Acad Sci USA 88:11192-11196, 1991.
- 41. Jiwa A, and Wilson JM. Selection of rare event cells expressing β-galactosidase. METHODS: A Companion to Methods & Enzymology 2:272-281, 1991.
- 42. Wilson JM, Grossman M, Wu CH, Chowdhury NR, Wu GY, and Chowdhury JR. Hepatocyte-directed gene transfer *in vivo* leads to transient improvement of hypercholesterolemia in LDL receptor-deficient rabbits. J Biol Chem 267:963-967, 1992.
- 43. Chowdhury JR, Grossman M, Gupta SJ, Chowdhury NR, Baker JR and Wilson JM. Long Term Improvement of Hypercholesterolemia after *Ex vivo* Gene Therapy in LDLR Deficient Rabbits. Science 254:1802-1805, 1991.
- 44. Wilson JM, Grossman M, Thompson AR, Lupassikis C, Rosenberg A, Potts JT, Kronenberg HM, Mulligan RC and Nussbaum SR. Somatic Gene Transfer in the Development of an Animal Model for Primary Hyperparathyroidism. Endocrinology 130:2947-2954, 1992.
- 45. Wilson JM, Grossman M, Cabrera J, Wu CH and Wu GY. A Novel Mechanism for Achieving Transgene Persistence *In vivo* Following Somatic Gene Transfer into Hepatocytes. J Biol Chem 267:11483-11489, 1992.
- 46. Van Dyke RW, Root KV, Schreiber JH and Wilson JM. Role of CFTR in Lysosome Acidification. BioChem and BioPhy Res Comm 184:300-305, 1992.
- 47. Wilson JM, Grossman M, Raper SE, Baker JR, Newton RS and Thoene JG. Clinical Protocol: *Ex vivo* Gene Therapy of Familial Hypercholesterolemia. Hum Gene Thera 3:179-222, 1992.
- 48. Raper S, Wilson JM and Grossman M. Retrovirus-mediated Gene Transfer in Human Hepatocytes. Surgery 112:333-340, 1992.
- 49. Whitsett JA, Dey C, Stripp B, Wikenheiser K, Clark J, Wert S, Gregory R, Smith A, Cohn J, Wilson JM and Englehardt J. Human Cystic Fibrosis Transmembrane Conductance Regulator Directed to Respiratory Epithelial Cells of Transgenic Mice. Nat Genet 2:13-20, 1992.
- 50. Grossman M, Raper SE and Wilson JM. Transplantation of Genetically-modified Autologous Hepatocytes in Non-human Primates. Hum Gene Thera 3:501-510, 1992.
- 51. Engelhardt JF, Yankaskas JR and Wilson JM. *In vivo* Retroviral Gene Transfer into Human Bronchial Epithelia of Xenografts. J Clin Invest 90:2598-2607, 1992.
- 52. Engelhardt JF, Yankaskas JR, Ernst SA, Yang Y, Marino CR, Boucher RC, Cohn JA and Wilson JM. Submucosal Glands are the Predominate Site of CFTR Expression in Human Bronchus. Nat Genet 2:240-248, 1992.

- Bunnell BA, Askari F and Wilson JM. Targeted Delivery of Antisense Oligonucleotides by Molecular Conjugates. Som Cell and Mol Gen 6:559-569, 1992.
- Messina LM, Podrazik RM, Whitehill TA, Ekhterae D, Brothers TE, Wilson JM, Burkel WE and Stanley, JC. Adhesion and Incorporation of Iac-Z-Transduced Endothelial Cells into the Intact Capillary Wall in the Rat. Proc Natl Acad Sci USA 89:12018-12022, 1992.
- 55. Grossman M, Wilson JM, and Raper SE. A Novel Approach for Introducing Hepatocytes into the Portal Circulation. J Lab Clin Med 121:472-478, 1993.
- Davidson BL, Allen ED, Kozarsky KF, Wilson JM, and Roessler BJ. A Model System for *In vivo* Gene Transfer into the CNS Using an Adenoviral Vector. Nat Genet 3:219-223, 1993.
- 57. Engelhardt JF, Yang Y, Stratford-Perricaudet LD, Allen ED, Kozarsky K, Perricaudet M, Yankaskas JR and Wilson JM. Direct Gene Transfer of Human CFTR into Human Bronchial Epithelia of Xenografts with E1 Deleted Adenoviruses. Nat Genet 4:27-34, 1993.
- Yang Y, Raper SE, Cohn JA, Engelhardt JF, and Wilson JM. An Approach for Treating Hepatobiliary Disease of Cystic Fibrosis by Somatic Gene Transfer. Proc Natl Acad Sci USA 90:4601-4605, 1993.
- 59. Strong TV, Wilkinson DJ, Mansoura MK, Devor DC, Henze K, Yang Y, Wilson JM, Cohn JA, Dawson DC, Frizzell RA, and Collins FS. Expression of an Abundant Alternatively Spliced Form of the Cystic Fibrosis Transmembrane Conductance Regulator (CFTR) Gene is not Associated with a cAMP-activated Chloride Channel. Hum Molec Genet 2:225-230, 1993.
- 60. Schreiber JH, Schisa JA, and Wilson JM. Recombinant Retroviruses Containing Novel Reporter Genes. BioTechniques14:818-823, 1993.
- 61. Wilson JM and Grossman M. Therapeutic Strategies for Familial Hypercholesterolemia Based on Somatic Gene Transfer. Am J Cardio 72:59D-63D, 1993.
- 62. Roessler BJ, Allen ED, Wilson JM, Hartman JW and Davidson BL. Adenoviral Mediated Gene Transfer to Rabbit Synovium *In vivo*. J Clin Invest 92:1085-1092, 1993.
- 63. Yang Y, Devor DC, Engelhardt JF, Ernst SA, Strong TV, Collins FS, Cohn JA, Frizzell RA, and Wilson JM. Molecular Basis of Defective Anion Transport in L Cells Expressing Recombinant Forms of CFTR. Hum Molec Genet 2:1253-1261, 1993.
- 64. Raper SE and Wilson JM. Cell Transplantation in Liver-Directed Gene Therapy. Cell Transplantation 2:381-400, 1993.
- 65. Yang Y, Janich S, Cohn JA and Wilson JM. The common variant of cystic fibrosis transmembrane conductance regulator is recognized by hsp70 and degraded in a pre-Golgi nonlysosomal compartment. Proc Natl Acad Sci USA 90:9480-9484, 1993.
- Kozarsky K, Grossman M and Wilson JM. Adenovirus-Mediated Correction of the Genetic Defect in Hepatocytes from Patients with Familial Hypercholesterolemia. Som Cell and Mol Gen 19:449-458, 1993.
- 67. Holoshitz J, Romzek NC, Yifeng J, Wagner L, Vila LM, Chen S-J, Wilson JM, and Karp DR. MHC-Independent Presentation of Mycobacteria to Human T Cells. International Immunology 5:1437-1443, 1993.

- 68. Engelhardt JF, Simon RH, Yang Y, Zepeda M, Pendleton SW, Doranz B, Grossman M and Wilson JM. Adenovirus-Mediated Transfer of the CFTR Gene to Lung of Non-human Primates: Biological Efficacy Study. Hum Gene Thera 4:759-769, 1993.
- 69. Simon RH, Engelhardt JF, Yang Y, Zepeda M, Pendleton SW, Grossman M and Wilson JM. Adenovirus-Mediated Transfer of the CFTR Gene to Lung of Non-human Primates: Toxicity Study. Hum Gene Thera 4:771-780, 1993.
- 70. Engelhardt JF, Zepeda M, Cohn JA, Yankaskas JR and Wilson JM. Expression of the Cystic Fibrosis Gene in Adult Human Lung. J Clin Invest 93:737-749, 1994.
- 71. Fisher KJ and Wilson JM. Biochemical and Functional Analysis of an Adenovirus-Based Ligand Complex for Gene Transfer. Biochem J 299:49-58, 1994.
- 72. Barr E, Carroll J, Kalynych AM, Tripathy SK, Kozarsky K, Wilson J and Leiden JM. Efficient Catheter-Mediated Gene Transfer into the Heart Using Replication-Defective Adenovirus. Gene Therapy 1:51-58, 1994.
- 73. Yang Y, Nunes FA, Berencsi K, Furth EE, Gönczöl E and Wilson JM. Cellular Immunity to Viral Antigens Limits E1-Deleted Adenoviruses for Gene Therapy. Proc Natl Acad Sci USA 91:4407-4411, 1994.
- 74. Yang Y, Engelhardt JF and Wilson JM. Ultrastructural Localization of Variant Forms of Cystic Fibrosis Transmembrane Conductance Regulator in Human Bronchial Epithelia of Xenografts. Amer J Resp Cell and Molec Biol 11:7-15, 1994.
- 75. Grossman M, Raper SE, Kozarsky K, Stein EA, Engelhardt JF, Muller D, Lupien PJ, and Wilson JM. Successful *Ex vivo* Gene Therapy Directed to Liver in a Patient with Familial Hypercholesterolemia. Nat Genet 6:335-341, 1994.
- 76. Bennett J, Wilson J, Sun D, Forbes B and Maguire A. Adenovirus Vector-Mediated *In vivo* Gene Transfer into Adult Murine Retina. Invest Opth Vis Sci 35:2535-2542, 1994.
- 77. Smythe WR, Kaiser LR, Hwang HC, Amin KM, Pilewski JM, Eck SJ, Wilson JM and Albelda SM. Successful Adenovirus-Mediated Gene Transfer in an *In vivo* Model of Human Malignant Mesothelioma. Ann Thorac Surg 57:1395-1401, 1994.
- 78. Wilson JM, Engelhardt JF, Grossman M, Simon RH and Yang Y. Gene Therapy of Cystic Fibrosis Lung Disease Using E1 Deleted Adenoviruses: A Phase I Trial. Hum Gene Thera 5:501-519, 1994.
- 79. Smythe WR, Hwang HC, Amin KM, Eck SJ, Davidson BL, Wilson JM, Kaiser LR and Albelda SM. Use of Recombinant Adenovirus to Transfer the Herpes Simplex Virus Thymidine Kinase (HSVtk) to Thoracic Neoplasms: An Effective *In vitro* Drug Sensitization System. Cancer Res 54:2055-2059, 1994.
- 80. Chen S-J, Wilson JM and Muller DWM. Adenovirus-Mediated Gene Transfer of Soluble Vascular Cell Adhesion Molecule to Porcine Interposition Vein Grafts. Circulation 89:1922-1928, 1994.
- 81. Engelhardt JF, Smith SS, Allen E, Yankaskas JR, Dawson DC and Wilson JM. Coupled Secretion of Chloride and Mucus in skin of *Xenopus laevis*: possible role for CFTR. Am J Physiol Cell 267:C491-C500, 1994.

- 82. Kozarsky KF, McKinley DR, Austin LL, Raper SE, Stratford-Perricaudet LD and Wilson JM. *In vivo* Correction of Low Density Lipoprotein Receptor Deficiency in the Watanabe Heritable Hyperlipidemic Rabbit with Recombinant Adenoviruses. J Biol Chem 269:13695-13702, 1994.
- 83. Engelhardt JF, Ye X, Doranz B and Wilson JM. Ablation of E2a in Recombinant Adenoviruses Improves Transgene Persistence and Decreases Inflammatory Response in Mouse Liver. Proc Natl Acad Sci USA 91:6196-6200, 1994.
- 84. Yang Y, Nunes FA, Berencsi K, Gönczöl E, Engelhardt JF and Wilson JM. Inactivation of E2a in Recombinant Adenoviruses Limits Cellular Immunity and Improves the Prospect for Gene Therapy of Cystic Fibrosis. Nat Genet 7:363-369, 1994.
- 85. Boucher RC, Knowles MR, Johnson LG, Olsen JC, Pickles R, Wilson JM, Engelhardt J, Yang Y and Grossman M. Gene Therapy for Cystic Fibrosis Using E1-Deleted Adenovirus: A Phase I Trial in the Nasal Cavity. Hum Gene Thera 5:615-639, 1994.
- 86. Engelhardt JF, Litzky L and Wilson JM. Prolonged Transgene Expression in Cotton Rat Lung with Recombinant Adenoviruses Defective in E2a. Hum Gene Thera 5:1217-1229, 1994.
- 87. Yang Y, Ertl HCJ and Wilson JM. MHC Class I Restricted Cytotoxic T Lymphocytes to Viral Antigens Destroy Hepatocytes in Mice Infected with E1 Deleted Recombinant Adenoviruses. Immunity 1:433-442, 1994.
- 88. Rader DJ, Mann WA, Cain W, Kraft H-G, Usher D, Zech LA, Hoeg JM, Davignon J, Lupien P, Grossman M, Wilson JM and Brewer HB. The LDL Receptor is not Required for Normal Catabolism of Lp(a) in Humans. J Clin Invest 95:1403-1408, 1995.
- 89. Grubb BR, Pickles RJ, Ye H, Yankaskas JR, Vick RN, Engelhardt JF, Wilson JM, Johnson LG and Boucher RC. Inefficient Gene Transfer by Adenovirus Vector to Cystic Fibrosis Airway Epithelia of Mice and Humans. Nature 371:802-806, 1994.
- 90. Root KV, Engelhardt JF, Post M, Wilson JM and Van Dyke RW. CFTR Does not Alter Acidification of Cell Endosomes. Biochem and Biophysical Res Comm 205:396-401, 1994.
- 91. Goldman MJ, Yang Y and Wilson JM. Gene Therapy in a Xenograft Model of Cystic Fibrosis Lung Corrects Chloride Transport More Effectively than the Sodium Defect. Nat Genet 9:126-131, 1995.
- 92. Ballard PL, Zepeda ML, Schwartz M, Lopez N and Wilson JM. Adenovirus-Mediated Gene Transfer to Human Fetal Lung *Ex vivo*. Amer J Physiol: Lung, Cell and Mole Physiol 268:L839-845, 1995.
- 93. Pilewski JM, Engelhardt JF, Bavaria JE, Kaiser LR, Wilson JM and Albelda SM. Adenovirus-Mediated Gene Transfer to Human Bronchial Submucosal Glands Using Xenografts. Amer J Physiol: Lung, Cell and Mole Physiol 268:L657-L665, 1995.
- 94. Askari F, Hitomi E, Thiney M and Wilson JM. Retrovirus Mediated Expression of HUG Br 1 in Crigler-Najjar Syndrome Type I Human Fibroblasts and Correction of the Genetic Defect in Gunn Rat Hepatocytes. Gene Therapy 2:203-208, 1995.
- 95. Goldman MJ, Litzky L, Engelhardt JF and Wilson JM. Transfer of the CFTR Gene to the Lung of Nonhuman Primates with E1 Deleted, E2a Defective Recombinant Adenoviruses: A Preclinical Toxicology Study. Hum Gene Thera 6:839-851, 1995.

- 96. Yang Y, Li Q, Ertl HCJ and Wilson JM. Cellular and Humoral Immune Responses to Viral Antigens Create Barriers to Lung-Directed Gene Therapy with Recombinant Adenoviruses. J Virol 69:2004-2015, 1995.
- 97. Johnson LG, Boyles SE, Wilson J and Boucher RC. Normalization of Raised Sodium Absorption and Raised Calcium-mediated Chloride Secretion by Adenovirus-mediated Expression of CFTR in Primary Human Cystic Fibrosis Airway Epithelial Cells. J Clin Invest 95:1377-1382, 1995.
- 98. Pilewski JM, Sott DJ, Wilson JM and Albelda SM. ICAM-1 Expression of Bronchial Epithelium after Recombinant Adenovirus Infection. Am J Resp Cell Molec Biol 12:142-148, 1995.
- 99. Smythe WR, Hwang HC, Elshami AA, Amin KM, Eck SL, Davidson BL, Wilson JM, Kaiser LR and Albelda SM. Treatment of Experimental Human Mesothelioma Using Adenovirus Transfer of the Herpes Simplex-Thymidine Kinase Gene. Annals of Surgery 222:78-86, 1995.
- 100. Zepeda ML, Chinoy M and Wilson JM. Characterization of Stem Cells in Human Airway Capable of Reconstituting a Fully Differentiated Bronchial Epithelium. Som Cell and Mol Genet 21:61-73, 1995.
- 101. Yang Y, Xiang Z, Ertl HCJ and Wilson JM. Upregulation of Class I MHC Antigens by Interferon-γ is Necessary for the T Cell-Mediated Elimination of Recombinant Adenovirus Infected Hepatocytes *In vivo*. Proc Natl Acad Sci USA 92:7257-7261, 1995.
- 102. Raper SE, Grossman M, Rader DJ, Thoene JG, Clark BJ, Kolansky DM, Muller DWM and Wilson JM. Safety and Feasibility of Liver-Directed *Ex vivo* Gene Therapy for Homozygous Familial Hypercholesterolemia. Annals of Surgery 223:116-126, 1996.
- 103. Goldman MJ and Wilson JM. Expression of  $\alpha_{\nu}\beta_{5}$  Integrin is Necessary for Efficient Adenovirus-Mediated Gene Transfer in Human Airway. J Virol 69:5951-5958, 1995.
- 104. Yang Y and Wilson JM. Clearance of Adenovirus-Infected Hepatocytes by MHC Class I Restricted CD4<sup>+</sup> Cytotoxic T Lymphocytes *In vivo*. J Immunol 155:2564-2570, 1995.
- 105. Yang Y, Trinchieri G and Wilson JM. Recombinant IL-12 Prevents Formation of Blocking IgA Antibodies to Recombinant Adenovirus and Allows Repeated Gene Therapy to Mouse Lung. Nat Med 1:890-893, 1995.
- 106. Park GH, Wolfe JH, Sosnoski D and Wilson JM. Construction of Recombinant Adenovirus Encoding Human  $\beta$ -Glucoronidase cDNA Under the Influence of Human  $\beta$ -Glucuronidase Promotor. Korean J Biochem 27:91-97, 1995.
- 107. Yang Y, Jooss KU, Su Q, Ertl HCJ and Wilson JM. Immune Responses to Viral Antigens vs. Transgene Product in the Elimination of Recombinant Adenovirus Infected Hepatocytes *In vivo*. Gene Therapy 3:137-144, 1995.
- 108. Grossman M, Rader DJ, Muller DWM, Kolansky DM, Kozarsky K, Clark BJ, Stein EA, Lupien PJ, Brewer HB, Raper SE and Wilson JM. A Pilot Study of *Ex vivo* Gene Therapy for Homozygous Familial Hypercholesterolemia. Nat Med 1:1148-1154, 1995.
- 109. Chen S-J, Wilson JM, Vallance DK, Hartman JW, Davidson BL and Roessler BJ. A Recombinant Adenoviral Vector Expressing a Soluble Form of VCAM-1 Inhibits VCAM-1/VLA-4 Adhesion in Transduced Synoviocytes. Gene Therapy 2:469-480, 1995.

- 110. Knowles MR, Hohneker K, Zhou ZQ, Olsen JC, Noah TL, Hu P-C, Leigh MW, Engelhardt JF, Edwards LJ, Jones K, Wilson JM, Johnson LG and Boucher RC. A Controlled Study of Adenoviral-Vector Mediated Gene Transfer in the Nasal Epithelium of Patients with Cystic Fibrosis. N Engl J Med 333:823-831, 1995.
- 111. Fisher KJ, Gao GP, Weitzman MD, DeMatteo R, Burda JF and Wilson JM. Transduction with Recombinant Adeno-Associated Virus for Gene Therapy is Limited by Leading-Strand Synthesis. J Virol 70:520-532, 1996.
- Thang Y, Yankaskas JR, Wilson JM and Engelhardt JF. *In vivo* analysis of fluid transport in cystic fibrosis airway epithelia of bronchial xenografts. Am J Physiol Cell 270:C1326-1335, 1996.
- 113. Yang Y, Greenough K and Wilson JM. Transient Immune Blockade Prevents Formation of Neutralizing Antibody to Recombinant Adenovirus and Allows Repeated Gene Transfer to Mouse Liver. Gene Therapy 3:412-420, 1996.
- 114. Ye X, Robinson MB, Batshaw ML, Furth EE, Smith I and Wilson JM. Prolonged Metabolic Correction in Adult Ornithine Transcarbamylase Deficient Mice with Adenoviral Vectors. J Biol Chem 271:3639-3646, 1996.
- 115. Weitzman MD, Fisher KJ and Wilson JM. Recruitment of Wild Type and Recombinant Adeno-Associated Virus into Replication Centers of Adenovirus. J Virol 70:1845-1854, 1996.
- 116. Fisher KJ, Choi H, Burda J, Chen SJ and Wilson JM. Recombinant Adenovirus Deleted of All Viral Genes for Gene Therapy of Cystic Fibrosis. Virology 217:11-22, 1996.
- 117. Cabrera JA, Wilson JM and Raper SE. Targeted Retroviral Gene Transfer into the Biliary Tract. Som Cell and Mol Genet 22:21-29, 1996.
- 118. Askari FK, Hitomi Y, Mao M and Wilson JM. Complete Correction of Hyperbilirubinemia in the Gunn Rat Model of Crigler-Najjar Syndrome Type I Following Transient *In vivo* Adenovirus-Mediated Expression of Human Bilirubin UDP-Glucuronosyltransferase. Gene Therapy 3:381-388, 1996.
- 119. Kozarsky KF, Bonen DK, Giannoni F, Funahashi T, Wilson JM and Davidson NO. Hepatic Expression of the Catalytic Subunit of the Apolipoprotein B mRNA Editing Enzyme (apobec-1) Ameliorates Hypercholesterolemia in LDL Receptor Deficient Rabbits. Hum Gene Thera 7:943-947, 1996.
- 120. Kozarsky KF, Jooss K, Donahee M, Strauss JF and Wilson JM. Effective Treatment of Familial Hypercholesterolemia in the Mouse Model Using Adenovirus-Mediated Transfer of the VLDL Receptor Gene. Nat Genet 13:54-62, 1996.
- 121. Xiang ZQ, Yang Y, Wilson JM and Ertl HCJ. A Replication-Defective Human Adenovirus Recombinant Serves as a Highly Efficacious Vaccine Carrier. Virology 219:220-227, 1996.
- 122. Goldman MJ, Su Q and Wilson JM. Gradient Of RGD Dependent Entry Of Adenoviral Vector In Nasal And Intrapulmonary Epithelia: Implications For Gene Therapy Of Cystic Fibrosis. Gene Therapy 3:811-818, 1996.
- 123. Jooss K, Yang Y and Wilson JM. Cyclophosphamide Diminishes Inflammation and Prolongs Transgene Expression Following Delivery of Adenoviral Vectors to Mouse Liver and Lung. Hum Gene Thera 7:1555-1566, 1996.

- 124. Yang Y, Su Q, Grewal IS, Schilz R, Flavell RA and Wilson JM. Transient Subversion of CD40 Ligand Function Diminishes Immune Responses to Adenovirus Vectors in Mouse Liver and Lung Tissues. J Virol 70:6370-6377, 1996.
- 125. Treat J, Kaiser LR, Sterman DH, Litzky L, Davis A, Wilson JM and Albelda SM. Treatment of Advanced Mesothelioma with the Recombinant Adenovirus H5.010RSVTK: A Phase 1 Trial (BB-IND 6274). Hum Gene Thera 7:2047-2057, 1996.
- 126. Yang Y, Su Q, and Wilson JM. Role of Viral Antigens in Destructive Cellular Immune Responses to Adenovirus Vector-Transduced Cells in Mouse Lungs. J Virol 70:7209-7212, 1996.
- 127. Zepeda M and Wilson JM. Neonatal Cotton Rats do not Elicit Destructive Immune Responses to Adenoviral Vectors. Gene Therapy 3:973-979, 1996.
- 128. Haecker SE, Stedman HH, Balice-Gordon RJ, Smith DBJ, Greelish JP, Mitchell MA, Wells A, Sweeney HL, and Wilson JM. *In Vivo* Expression of Full-Length Human Dystrophin from Adenoviral Vectors Deleted of all Viral Genes. Hum Gene Thera 7:1907-1914, 1996.
- 129. Yang Y and Wilson JM. CD40 Ligand-Dependent T Cell Activation: Requirement of B7-CD28 Signaling Through CD40. Science 273:1862-1864, 1996.
- 130. Fisher KJ, Kelley WM, Burda JF and Wilson JM. A Novel Adenovirus-Adeno-Associated Virus Hybrid Vector that Displays Efficient Rescue and Delivery of the AAV Domain. Hum Gene Thera 7:2079-2087, 1996.
- 131. Fisher KJ and Wilson JM. The Transmembrane Domain of Diphtheria Toxin Improves Molecular Conjugate Gene Transfer. Biochem 321:49-58, 1997.
- 132. Yang Y, Haecker SE, Su Q and Wilson JM. Immunology of Gene Therapy with Adenoviral Vectors in Mouse Skeletal Muscle. Hum Molec Genet 5:1703-1712, 1996.
- 133. Gao G, Yang Y and Wilson JM. Biology of Adenoviral Vectors Deleted of E1 and E4 for Liver-Directed Gene Therapy. J Virol 70:8934-8943, 1996.
- 134. Kucharczuk JC, Raper S, Elshami AA, Amin KM, Sterman DH, Wheeldon EB, Wilson JM, Litzky LA, Kaiser LR and Albelda SM. Safety of Intrapleurally Administered Recombinant Adenovirus Carrying Herpes Simplex Thymidine Kinase cDNA followed by Ganciclovir Therapy in Non-Human Primates. Hum Gene Thera 7:2225-2233, 1996.
- 135. Rodrigues EG, Zavala F, Eichinger D, Wilson JM and Tsuji M. Single Immunizing Dose of Recombinant Adenovirus Efficiently Induces CD8\* T Cell-Mediated Protective Immunity Against Malaria. J Immunol 158:1268-1274, 1997.
- 136. Yudkoff M, Daikhin Y, Nissim I, Jawad A, Wilson J and Batshaw M. *In vivo* Nitrogen Metabolism in Ornithine Transcarbamylase Deficiency. J Clin Invest 98:2167-2173, 1996.
- 137. Fisher KJ, Jooss K, Alston J, Yang Y, Haecker SE, High K, Pathak R, Raper SE and Wilson JM. Recombinant Adeno-associated Virus for Muscle-Directed Gene Therapy. Nat Med 3:306-312, 1997.
- 138. Goldman MJ, Anderson GM, Stolzenberg ED, Kari UP, Zasloff M and Wilson JM. Human β-Defensin I is a Salt Sensitive Antibiotic in Lung That Is Disabled in Cystic Fibrosis. Cell 88:553-560, 1997.

- 139. Elshami AA, Cook JW, Amin KM, Choi H, Park JY, Coonrod L, Sun J, Molnar-Kimber K, Wilson JM, Kaiser LR and Albelda SM. The Effect of Promoter Strength in Adenoviral Vectors Containing Herpes Simplex Virus Thymidine Kinase on Cancer Gene Therapy *In vitro* and *In vivo*. Cancer Gene Thera 4:213-221, 1997.
- 140. Ye X, Robinson MB, Pabin C, Quinn T, Jawad A, Wilson JM and Batshaw ML. Adenovirus-Mediated *In vivo* Gene Transfer Rapidly Protects Ornithine Transcarbamylase Deficient Mice from an Ammonium Challenge. Pediatr Res 41:527-534, 1997.
- 141. Kubisch HM, Larson MA, Eichen PA, Wilson JM and Roberts RM. Adenovirus-Mediated Gene Transfer by Perivitelline Microinjection of Mouse, Rat, and Cow Embryos. Biol Reprod 56:119-124, 1997.
- 142. Smith JG, Raper SE, Wheeldon E, Hackney D, Judy K, Wilson JM and Eck SL. Intracranial Administration of Adenovirus Expressing HSVTK in Combination with Ganciclovir Produces a Dose Dependent, Self-Limiting Inflammatory Response. Hum Gene Thera 8:943-954, 1997.
- Herzog RW, Hagstrom JN, Kung S-H, Tai SJ, Wilson JM, Fisher KJ and High KA. Stable Gene Transfer and Expression of Human F.IX Following Intramuscular Injection of Recombinant AAV. Proc Natl Acad Sci USA 94:5804-5809, 1997.
- 144. Zhang H, Yang Y, Horton JL, Samoilova EB, Judge TA, Turka LA, Wilson JM and Chen Y. Amelioration of Collagen-Induced Arthritis by Fas (CD95)-Ligand Gene Transfer. J Clin Invest 100:1951-1957, 1997.
- 145. Goldman MJ, Lee PS, Yang JS and Wilson JM. Lentiviral Vectors for Gene Therapy of Cystic Fibrosis. Hum Gene Thera 8:2261-2268, 1997.
- 146. Rodrigues EG, Zavala F, Sosnoski DM, Nussenzweig RS, Wilson JM and Tsuji M. Efficient Induction of Protective Anti-Malaria Immunity by Recombinant Adenovirus. Vaccine 16:1812-1817, 1998.
- 147. Jooss K, Turka L and Wilson JM. Blunting of Immune Responses to Adenoviral Vectors in Mouse Liver and Lung with CTLA4Ig. Gene Thera 5:309-319, 1998.
- 148. Bals R, Goldman MJ and Wilson JM. Mouse β-defensin 1 is a Salt Sensitive Antimicrobial Peptide in Epithelia of the Murine Airways. Infection & Immunity, 66:1225-1232, 1998.
- 149. Jooss K, Ertl HCJ and Wilson JM. Cytotoxic T-Lymphocyte Target Proteins and Their Major Histocompatibility Complex Class I Restriction in Response to Adenovirus Vectors Delivered to Mouse Liver. J Virol 72:2945-2954, 1998.
- 150. Jooss K, Yang Y, Fisher KJ and Wilson JM. Transduction of Dendritic Cells by DNA Viral Vectors Directs the Immune Responses to Transgene Products in Muscle Fibers. J Virol 72:4212-4223, 1998.
- 151. Davis AR, Meyers K and Wilson JM. High Throughput Method for Creating and Screening Recombinant Adenoviruses. Gene Thera 5:1148-1152, 1998.
- 152. Chirmule N, Hughes JV, Gao GP, Raper SE and Wilson JM. Role of E4 in Eliciting CD4 T-Cell and B-Cell Responses to Adenovirus Vectors Delivered to Murine and Nonhuman Primate Lungs. J Virol 72:6138-6145, 1998.

- Sterman DH, Treat J, Litzky LA, Amin KM, Coonrod L, Molnar-Kimber K, Recio A, Knox L, Wilson JM, Albelda SM and Kaiser LR. Adenovirus-Mediated Herpes Simplex Virus Thymidine Kinase Ganciclovir Gene Therapy in Patients with Localized Malignancy: Results of a Phase I Clinical Trial in Malignant Mesothelioma. Hum Gene Thera 9:1083-1092, 1998.
- 154. Raper SE, Haskal ZJ, Ye X, Pugh C, Furth EE, Gao GP and Wilson JM. Selective Gene Transfer into the Liver of Non-Human Primates with E1-Deleted, E2A-Defective, or E1-E4 Deleted Recombinant Adenoviruses: A Preclinical Toxicology Study. Hum Gene Thera 9:671-679, 1998.
- 155. Yang EY, Cass DL, Sylvester KG, Wilson JM and Adzick NS. Fetal Gene Therapy: Efficacy, Toxicity, and Immunologic Effects of Early Gestation Recombinant Adenovirus. J Pediatr Surg, 34:235-241, 1999.
- 156. Bals R, Wang X, Zasloff M and Wilson JM. The Peptide Antibiotic LL-37 Is Expressed in Epithelia of the Human Lung Where It Has Broad Antimicrobial Activity at the Airway Surface. Proc Natl Acad Sci USA 95:9541-9546, 1998.
- 157. Molnar-Kimber KL, Sterman DH, Chang M, Kang EH, ElBash M, Lanuti M, Elshami A, Gelfand K, Wilson JM, Kaiser LR and Albelda SM. Impact of Preexisting and Induced Humoral and Cellular Immune Responses in an Adenovirus-based Gene Therapy Phase I Clinical Trial for Localized Mesothelioma. Hum Gene Thera 9:2121-2133, 1998.
- Bals R, Wang X, Wu Z, Freeman T, Bafna V, Zasloff M and Wilson JM. Human β-Defensin 2 is a Salt-sensitive Peptide Antibiotic Expressed in Human Lung. J Clin Invest 102:874-880, 1998.
- 159. Ye X, Gao GP, Pabin C, Raper SE and Wilson JM. Evaluating the Potential of Germ Line Transmission after Intravenous Administration of Recombinant Adenovirus in the C3H Mouse. Hum Gene Thera 9:2135-2142, 1998.
- 160. Gao GP, Qu G, Faust LZ, Engdahl RK, Xiao W, Hughes JV, Zoltick PW and Wilson JM. High Titer Adeno-Associated Viral Vectors from a Rep/Cap Cell Line and Hybrid Shuttle Virus. Hum Gene Therapy 9:2353-2362, 1998.
- 161. Xiao W, Berta SC, Lu MM, Moscioni AD, Tazelaar J and Wilson JM. Adeno-associated Virus as a Vector for Liver Directed Gene Therapy. J Virol 72:10222-10226, 1998.
- 162. Raper SE, Wilson JM, Yudkoff M, Robinson MB, Ye X and Batshaw ML. Developing Adenoviral-mediated *In Vivo* Gene Therapy for Ornithine Transcarbamylase Deficiency. J Inher Metab Dis 21:119-137, 1998.
- 163. Chirmule N, Moscioni AD, Qian Y, Qian R, Chen Y and Wilson JM. Fas-Fas Ligand Interactions Play a Major Role in Effector Functions of Cytotoxic T Lymphocytes after Adenovirus Vector-Mediated Gene Transfer. Hum Gene Thera 10:259-269, 1999.
- 164. Ye X, Rivera VM, Zoltick P, Cerasoli Jr. F, Schnell MA, Gao GP, Hughes JV, Gilman M and Wilson JM. Regulated Delivery of Therapeutic Proteins Following *In Vivo* Somatic Cell Gene Transfer. Science 283:88-91, 1999.
- Qin X-Q, Tao N, Dergay A, Moy P, Fawell S, Davis A, Wilson JM and Barsoum J. Interferon-β Gene Therapy Inhibits Tumor Formation and Causes Regression of Established Tumors in Immune-deficient Mice. Proc Natl Acad Sci USA 95:14411-14416, 1998.

- Dudus L, Anand V, Acland GM, Chen S-J, Wilson JM, Fisher KJ, Maguire AM and Bennett J. Persistent Transgene Product in Retina, Optic Nerve and Brain After Intraocular Injection of rAAV. Vision Res 39:2545-2553, 1999.
- 167. Lanuti M, Gao GP, Force SD, Chang MY, El Kouri C, Amin KM, Hughes JV, Wilson JM, Kaiser LR and Albelda SM. Evaluation of an E1 E4-Deleted Adenovirus Expressing the Herpes Simplex Thymidine Kinase Suicide Gene in Cancer Gene Therapy. Hum Gene Thera 10:463-475, 1999.
- 168. Xiao W, Chirmule N, Berta SC, McCullough B, Gao GP and Wilson JM. Gene Therapy Vectors Based on Adeno-Associated Virus Type I., J Virol 73:3994-4003, 1999.
- 169. Bals R, Wang X, Meegalla RL, Wattler S, Weiner DJ, Nehls MC and Wilson JM. Mouse β-Defensin 3 is an Inducible Antimicrobial Peptide Expressed in Epithelia of Multiple Organs. Infection & Immunity 67:3542-3547, 1999.
- 170. Bals R, Weiner DJ, Meegalla RL and Wilson JM. Transfer of a Cathelicidin Peptide Antibiotic Gene Restores Bacterial Killing in a Cystic Fibrosis Xenograft Model. J Clin Invest, 103:1113-1117, 1999.
- 171. Zimmer KP, Bendiks M, Masataka M, Kominami E, Robinson M, Ye X and Wilson JM. Efficient Mitochondrial Import of Newly Synthensized OTC and Correction of Secondary Metabolic Alterations in spr<sup>8sh</sup> Mice Following Gene Therapy of OTC Deficiency. Mol Med 5:244-253, 1999.
- 172. Greelish JP, Su LT, Lankford EB, Burkman JM, Chen H, Konig S, Mercier IM, Desjardins PR, Mitchell MA, Zheng X, Leferovich J, Gao GP, Balice-Gordon RJ, Wilson JM and Stedman HH. Stable Restoration of the Sarcoglycan Complex in Dystrophic Muscle Perfused with Histamine and a Recombinant Adeno-associated Viral Vector. Nat Med 5:439-443, 1999.
- 173. Bals R, Xiao W, Sang N, Weiner DJ, Meegalla RL and Wilson JM. Transduction of Well-Differentiated Airway Epithelium by Recombinant Adeno-associated Virus is Limited by Vector Entry. J Virol 73:6085-6088, 1999.
- 174. Simon P, Vorwerk C, Mansukani S, Chen SJ, Wilson JM, Zurakowski D, Bennett J and Dreyer EB. Bcl-2 Gene Therapy Exacerbates Excitotoxicity. Hum Gene Thera 10:1715-1720, 1999.
- 175. Chirmule N, Truneh A, Ehlen Haecker S, Tazelaar J, Gao GP, Raper S, Hughes JV and Wilson JM. Repeated Administration of Adenoviral Vectors in Lungs of Human CD4 Transgenic Mice Treated with a Non-depleting CD4 Antibody. J. Immunol, 163:448-455, 1999.
- 176. Chirmule N, Propert KJ, Magosin SA, Qian Y, Qian R and Wilson JM. Immune Responses to Adenovirus and Adeno-associated Virus in Humans. Gene Thera, 6:1574-1583, 1999.
- 177. Batshaw ML, Wilson JM, Raper SE, Yudkoff M and Robinson MB. Clinical Protocol: Recombinant Adenovirus Gene Transfer in Adults with Partial Ornithine Transcarbamylase Deficiency. Hum Gene Thera, 10:2419-2437, 1999.
- 178. Nunes FA, Furth EE, Wilson JM and Raper SE. Gene Transfer into the Liver of Non-Human Primates with E1-Deleted Recombinant Adenoviral Vectors: Safety of Readministration. Hum Gene Thera, 10:2515-2526, 1999.
- 179. Bennett J, Maguire AM, Cideciyan AV, Schnell M, Glover E, Anand V, Aleman TS, Chirmule N, Gupta AR, Huang Y, Gao GP, Nyberg WC, Tazelaar J, Hughes J, Wilson JM and Jacobson SG.

- Stable Transgene Expression in Rod Photoreceptors After Recombinant Adeno-Associated Virus-Mediated Gene Transfer to Monkey Retina. Proc Natl Acad Sci, USA, 96:9920-9925, 1999.
- 180. Rivera VM, Ye X, Courage NL, Sachar J, Cerasoli F, Wilson JM and Gilman M. Long-Term Regulated Expression of Growth Hormone in Mice Following Intramuscular Gene Transfer. Proc Nat'l Acad Sci USA, 96:8657-8662, 1999.
- 181. Bals R, Weiner D, Moscioni AD, Meegalla RL and Wilson JM. Augmentation of Innate Host Defense by Expression of a Cathelicidin Antimicrobial Peptide. Infection & Immunity, 67:6084-6089, 1999.
- 182. Batshaw ML, Robinson M, Ye X, Pabin C, Daikhin Y, Burton BK, Wilson JM and Yudkoff M. Correction of Ureagenesis Following Gene Transfer and Liver Transplantation in Ornithine Transcarbamylase Deficiency. Pediatr Res, 46:588-593, 1999.
- 183. Chirmule N, Moffett J, Dhagat P, Tazelaar J and Wilson JM. Adenoviral Vector-Mediated Gene Therapy in the Mouse Lung: No Role of Fas-FasL Interactions for Elimination of Transgene Expression in Bronchio-Epithelial Cells. Hum Gene Thera, 10:2839-46, 1999.
- 184. Grifman M, Chen N, Gao GP, Cathomen T, Wilson JM and Weitzman MD. Overexpression of Cyclin A Inhibits Augmentation of rAAV Transduction by the Adenovirus E4orf6 Protein. J Virol, 73:10010-10019, 1999.
- 185. Skorupa AF, Fisher KJ, Wilson JM, Parente MK and Wolfe JH. Sustained Production of ß-glucuronidase from Localized Sites After AAV Vector Gene Transfer Results in Widespread distribution of the enzyme and Reversal of Lysosomal Storage Lesions in a Large Volume of Brain in Mucopolysaccharidosis VII Mice. Exptl Neurol, 160:17-27, 1999.
- Zuckerman JB, Robinson CB, McCoy KS, Shell R, Sferra TJ, Chirmule N, Magosin SA, Propert KJ, Hughes JV, Tazelaar J, Baker C, Goldman MJ and Wilson JM. A Phase I Study of Adenovirus-Mediated Transfer of the Human Cystic Fibrosis Transmembrane Conductance Regulator Gene to a Lung Segment of Individuals with Cystic Fibrosis. Hum Gene Thera, 10:2973-2985, 1999.
- 187. Claudio PP, Fratta L, Stassi G, Howard CM, Farina F, Numata S, Pacilio C, Davis A, Lavitrano M, Volpe M, Wilson JM, Trimarco B, Giordano A and Condorelli G. Adenoviral RB2/p130 Gene Transfer Inhibits Smooth Muscle Cell Proliferation and Prevents Restenosis Following Angioplasty. Circ Res, 85:1032-1039, 1999.
- 188. Chirmule N, Tazelaar J and Wilson JM. TH<sub>2</sub> Dependent B Cell Responses in the Absence of CD40-CD40L Interactions. J Immunol, 164:248-255, 2000.
- 189. Gao GP, Engdahl RK and Wilson JM. A Cell Line for High Yield Production of E1-Deleted Adenovirus Vectors Without the Emergence of Replication Competent Virus. Hum Gene Thera, 11:213-219, 2000.
- 190. Lysenko ES, Gould J, Bals R, Wilson JM and Weiser JN. Bacterial Phosphorylcholine Decreases Susceptibility to the Antimicrobial Peptide LL-37/hCAP18 Expressed in the Upper Respiratory Tract. Infection & Immunity, 68:1664-1671, 2000.
- 191. Rodrigues EG, Claasen J, Lee S, Wilson JM, Nussenzweig RS, Zavala F and Tsuji M. Interferongamma-independent CD8+ T Cell-mediated Protective Anti-malaria Immunity Elicited by Recombinant Adenovirus. Parasite Immunology, 22:157-160, 2000.

- 192. Cordier L, Hack AA, Scott MO, Barton-Davis ER, Gao GP, Wilson JM, McNally EM and Sweeney HL. Rescue of Skeletal Muscles of Gamma-Sarcoglycan Deficient Mice with AAV—Mediated Gene Transfer. Mol Therapy, 1:119-129, 2000.
- 193. Chirmule N, Xiao W, Truneh A, Schnell M, Hughes JV, Zoltick P and Wilson JM. Humoral Immunity to AAV2 Vectors Following Administration to Murine and Non-Human Primate Muscle. J Virol, 74:2420-2425, 2000.
- 194. Phaneuf D, Chen SJ and Wilson JM. Intravenous Injection of an Adenovirus Encoding Hepatocyte Growth Factor Results in Liver Growth and Has a Protective Effect Against Apoptosis. Mol Med, 6:96-103, 2000.
- 195. Chirmule N, Raper SE, Burkly L, Thomas D, Tazelaar J, Hughes JV and Wilson JM. Readministration of Adenoviral Vector in Non-Human Primate Lungs by Blockade of CD40-CD40L Interactions. J Virol, 74:3345-3352, 2000.
- 196. Xiao W, Chirmule N, Schnell MA, Tazelaar J, Hughes JV and Wilson JM. Route of Administration Determines Induction of T Cell Independent 'Humoral Responses to Adeno-associated Virus Vectors. Mol Therapy, 1:323-329, 2000.
- 197. Stedman H, Wilson JM, Finkel R, Kleckner AL and Mendell J. Phase I Clinical Trial Utilizing Gene Therapy for Limb Girdle Muscular Dystrophy: α, β-, γ, or Δ-Sarcoglycan Gene Delivered with Intramuscular Instillations of Adeno-Associated Vectors. Hum Gene Thera, 11:777-790, 2000.
- 198. McCullough BA, Yudkoff M, Batshaw ML, Wilson JM, Raper SE and Tuchman M. Genotype Spectrum of Ornithine Transcarbamylase Deficiency: Correlation with the Clinical and Biochemical Phenotype. Am J Med Gen, 93:313-319, 2000.
- 199. Chen SJ, Tazelaar J, Moscioni D and Wilson JM. *In Vivo* Selection of Hepatocytes Transduced with Adeno-associated Viral Vectors. Mol Therapy, 1:414-422, 2000.
- 200. Croyle M, Yu QC and Wilson JM. Development of a Rapid Method for the PEGylation of Adenoviruses with Enhanced Transduction and Improved Stability Under Harsh Storage Conditions. Hum Gene Thera, 11:1713-1722, 2000.
- 201. Zhang Y, Chirmule N, Gao GP, Wilson JM. CD40 Ligand Dependent Activation of Cytotoxic T Lymphocytes by AAV Vectors *In Vivo*: Role of Immature Dendritic Cells. J Virol, 74:8003-8010, 2000.
- 202. Ye X, Robinson MB, Pabin C, Batshaw ML and Wilson JM. Transient Depletion of CD4 Lymphocyte Improves Efficacy of Repeated Administration of Recombinant Adenovirus in the Ornithine Transcarbamylase Deficiency Sparse Fur Mouse. Gene Therapy, 7:1761-1767, 2000.
- 203. Gao GP, Qu Q, Burnham MS, Huang J, Chirmule N, Joshi B, Yu QC, Marsh JA, Conceicao CM and Wilson JM. Purification of Recombinant Adeno-associated Virus Vectors by Column Chromatography and its Performance *In Vivo*. Hum Gene Thera, 11:2079-2091, 2000.
- 204. Chen SJ, Rader DJ, Tazelaar J, Kawashiri M, Gao GP and Wilson JM. Prolonged Correction of Hyperlipidemia in Mice with Familial Hypercholesterolemia Using an Adeno-associated Viral Vector Expressing VLDL Receptor. Mol Therapy, 2:256-261, 2000.
- 205. Watanabe S, Imagawa T, Boivin GP, Gao GP, Wilson JM and Hirsch R. Adeno-associated Virus Mediates Long-term Gene Transfer and Delivery of Chondroprotective IL-4 to Murine Synovium. Mol Therapy, 2:147-152, 2000.

- 206. Zoltick PW and Wilson JM. A Quantitative Non-Immunogenic Transgene Product for Evaluating Vectors in Non-Human Primates. Mol Therapy, 2:657-659, 2000.
- 207. Zhou T, Guo JT, Nunes FA, Molnar-Kimber KL, Wilson JM, Aldrich CE, Saputelli J, Litwin S, Condreay LD, Seeger C and Mason WS. Combination Therapy with Lamivudine and Adenovirus Causes Transient Suppression of Chronic Woodchuck Hepatitis Virus Infections. J Virol, 74:11754-11763, 2000.
- 208. Chen S-J, Tazelaar J and Wilson JM: Selective Repopulation of Normal Mouse Liver by Hepatocytes Transduced *In vivo* with Recombinant Adeno-Associated Virus. Hum Gene Thera, 12:45-50, 2001.
- 209. Auricchio A, Hildinger M, O'Connor E, Gao GP and Wilson JM. Isolation of Highly Infectious and Pure AAV2 Vectors with a Single-step Gravity-flow Column. Hum Gene Thera, 12:71-76, 2001.
- 210. Tao N, Gao GP, Parr M, Johnston J, Baradet T, Wilson JM, Barsoum J and Fawell SE. Sequestration of Adenoviral Vector by Kupffer Cells Leads to a Non-Linear Dose Response of Transduction in Liver. Mol Therapy, 3:28-35, 2001.
- 211. Dejneka NS, Auricchio A, Maguire AM, Ye X, Gao GP, Wilson JM and Bennett J. Pharmacologically-regulated Gene Expression in the Retina Following Transduction with Viral Vectors. Gene Therapy, 8:442-446, 2001.
- 212. Cordier L, Gao GP, Hack AA, McNally EM, Wilson JM, Chirmule N and Sweeney HL. Muscle-Specific Promoters May Be Necessary for AAV-Mediated Gene Transfer in the Treatment of Muscular Dystrophies. Hum Gene Thera, 12:205-215, 2001.
- 213. Sterman DH, Molnar-Kimber K, Iyengar T, Chang M, Lanuti M, Amin KM, Pierce BK, Kang E, Treat J, Recio A, Litzky L, Wilson JM, Kaiser LR and Albelda SM. A Pilot Study of Systemic Corticosteroid Administration in Conjunction with Intrapleural Adenoviral Vector Administration in Patients with Malignant Pleural Mesothelioma. Cancer Gene Therapy, 7:1511-1518, 2000.
- 214. Kobinger GP, Weiner DJ, Yu QC and Wilson JM. Filovirus-pseudotyped Lentiviral Vector Can Efficiently and Stably Transduce Airway Epithelia *In Vivo*. Nat Biotech, 19:225-230, 2001.
- 215. Bals R, Weiner DJ, Meegalla RL, Accurso F and Wilson JM. Salt-independent Abnormality of Antimicrobial Activity in Cystic Fibrosis Airway Surface Fluid. Am J Respir Cell Mol Biol, 25:21-25, 2001.
- 216. Schnell MA, Hardy C, Hawley M, Propert KJ and Wilson JM. Effect of blood collection technique in mice on clinical pathology parameters. Hum Gene Thera, 13:155-161, 2002.
- 217. Croyle MA, Chirmule N, Zhang Y and Wilson JM. "Stealth" adenovirus blunt cell-mediated and humoral immune responses against the virus and allow for significant gene expression upon readministration in the lung. J Virol, 75:4792-4801, 2001.
- 218. Auricchio A, Zhou R, Wilson JM and Glickson JD. *In vivo* Detection of Gene Expression in Liver by Nuclear Magnetic Resonance Spectroscopy Employing Creatine Kinase as a Marker Gene. Proc Natl Acad Sci USA, 98:5205-5210, 2001.
- Zoltick PW, Chirmule N, Schnell MA, Gao GP, Hughes JV and Wilson JM. Biology of E1-deleted Adenovirus Vectors in Nonhuman Primate Muscle. J Virol, 75:5222-5229, 2001.

- 220. Louboutin JP, Rouger K, Tinsley, J, Halldorson J and Wilson JM. iNos Expression in Dystrophinopathies can be Reduced by Somatic Gene Transfer of Dystrophin or Utrophin. Mol Med, 7:355-364, 2001.
- Odaka M, Sterman DH, Wiewrodt R, Zhang Y, Kiefer, Amin K, Gao GP, Wilson JM, Barsoum J, Kaiser L and Albelda SM. Eradication of Intraperitoneal and Distant Tumor by Adenovirus-Mediated Interferon Beta Gene Therapy Due to Induction of Systemic Immunity. Cancer Research, 61:6201-6212, 2001.
- 222. Croyle MA, Cheng X, Sandu A and Wilson JM. Development of Novel Formulations that Enhance Adenoviral-Mediated Gene Expression to the Lung *In Vitro* and *In Vivo*. Molecular Therapy, 4:22-28, 2001.
- 223. Zhang Y, Chirmule N, Gao GP, Qian R, Croyle M, Joshi B, Tazelaar J and Wilson JM. Acute Cytokine Response to Systemic Adenoviral Vectors in Mice Is Mediated by Dendritic Cells and Macrophages. Molecular Therapy, 3: 697-707, 2001.
- 224. Schnell MA, Zhang Y, Tazelaar J, Gao GP, Yu QC, Qian R, Chen S, Varnavski AN, LeClair C, Raper SE and Wilson JM. Activation of Innate Immunity in Nonhuman Primates Following Intraportal Administration of Adenoviral Vectors. Molecular Therapy, 3: 708-722, 2001.
- Raper SE, Yudkoff M, Chirmule N, Gao GP, Nunes F, Haskal ZJ, Furth EE, Propert KJ, Robinson MB, Magosin S, Simoes H, Speicher L, Hughes J, Tazelaar J, Wivel NA, Wilson JM and Batshaw ML. A Pilot Study of *In Vivo* Liver-Directed Gene Transfer with an Adenoviral Vector in Partial Ornithine Transcarbamylase Deficiency. Hum Gene Thera, 13:163-175, 2002.
- 226. Bals R, Lang C, Weiner D, Vogelmeier C, Welsch U and Wilson JM. Rhesus monkey (*Macaca mulatta*) mucosal antimicrobial peptides are close homologues of human molecules. Clin Diag Lab Immunol, 8:370-375, 2001.
- 227. Ye X, Zimmer KP, Brown R, Pabin C, Batshaw ML, Wilson JM and Robinson MB. Differences in the Human and Mouse Amino Terminal Leader Peptides of Ornithine Transcarbamylase Affect Mitochondrial Import and Efficacy of Adenoviral Vectors. Hum Gene Thera, 12:1035-1046, 2001.
- 228. Eck SL, Alavi JB, Judy K, Phillips P, Alavi A, Hackney D, Cross P, Hughes J, Guang-ping G, Wilson JM and Propert K. Treatment of Recurrent or Progressive Malignant Glioma with a Recombinant Adenovirus Expressing Human Interferon-Beta (H5.010CMVhIFN-β): A Phase I Trial. Hum Gene Thera, 12:97-113, 2001.
- 229. Tada H, Maron DJ, Choi EA, Barsoum J, Hanquin L, Qing X, Wenbiao L, Lee E, Moscioni D, Tazelaar J, Fawell S, Qin X, Propert KJ, Davis A, Fraker D, Wilson JM and Spitz F. Systemic Interferon-β Gene Therapy Results in Long Term Survival in Mice with Established Colorectal Liver Metastases, J Clin Invest, 108:83-95, 2001.
- 230. Tada H, Maron DJ, Moscioni AD, Tazelaar J, Fraker DL, Wilson JM and Spitz FR. Intra-Arterial Delivery of a Recombinant Adenovirus Does Not Increase Gene Transfer to Tumor Cells in a Rat Model of Metastatic Colorectal Carcinoma, Mol Thera, 4:29-35, 2001.
- 231. Hildinger M, Auricchio A, Gao GP, Wang L, Chirmule N and Wilson JM. Hybrid Vectors Based on Adeno-associated Virus Serotypes 2 and 5 for Muscle-directed Gene Transfer. J Virol, 75:6199-6203, 2001.
- 232. Auricchio A, O'Connor E, Hildinger M and Wilson JM. A Single-step Affinity Column for Purification of Serotype 5-based Adeno-associated Viral Vectors. Mol Thera, 4:372-374, 2001.

- 233. Shifrin AL, Auricchio A, Yu QC, Wilson JM and Raper SE. Adenoviral Vector-Mediated Insulin Gene Transfer in the Mouse Pancreas Corrects Streptozotocin Induced Hyperglycemia. Gene Thera, 8:1480-1489, 2001.
- 234. Farina SF, Gao GP, Xiang ZQ, Rux JJ, Burnett RM, Alvira MR, Marsh J, Ertl HCJ and Wilson JM. A Replication Defective Vector Based on a Chimpanzee Adenovirus. J Virol, 75:11603-11613, 2001.
- 235. Auricchio A, Kobinger G, Anand V, Hildinger M, O'Connor E, Maguire A, Wilson JM and Bennett J. Exchange of Surface Proteins Impacts on Viral Vector Cellular Specificity and Transduction Characteristics: The Retina as a Model. Hum Mole Gene, 10:3075-3081, 2001.
- 236. Wang X, Moser C, Louboutin JP, Lysenko ES, Weiner DJ, Weiser JN and Wilson JM. Toll Like Receptor 4 Mediates Innate Immune Responses to Haemophilus influenzae Infection in Mouse Lung. J Immun, 168:810-815, 2002.
- 237. Cohen CJ, Xiang ZQ, Gao GP, Ertl HCJ, Li Y, Wilson JM and Bergelson JM. Chimpanzee Adenovirus CV-68 adapted as a Gene Delivery Vector Interacts with the Coxsackievirus and Adenovirus Receptor. J Gen Virol, 83:151-155, 2002.
- 238. Xiang ZQ, Gao GP, Reyes-Sandoval A, Cohen CJ, Li Y, Bergelson JM, Wilson JM and Ertl HCJ. Novel, Chimpanzee Serotype 68-Based Adenoviral Vaccine Carrier for Induction of Antibodies to a Transgene Product. J Virol, 76:2667-2675, 2002.
- 239. Gao GP, Lu F, Sanmiguel JC, Tran PT, Abbas Z, Lynd KS, Marsh J, Spinner NB and Wilson JM. Rep/Cap Gene Amplification and High Yield Production of AAV in an A549-Cell Line Expressing Rep/Cap. Mol Thera, 5:644-649, 2002.
- 240. Auricchio A, Gao GP, Yu QC, Raper S, Rivera VM and Wilson JM. Constitutive and Regulated Expression of Processed Insulin Following *In Vivo* Hepatic Gene Transfer. Gene Thera, 9:963-971, 2002.
- 241. Watson DJ, Kobinger G, Passini MA, Wilson JM and Wolfe JH. Targeted Transduction Patterns in the Mouse Central Nervous System by Lentivirus Vectors Pseudotyped with Envelope Proteins from Vesicular Stomatitis Virus, Ebola Virus, Mokola Virus, Lymphocytic Choriomeningitis Virus, or Murine Leukemia Virus. Mol Thera, 5:528-537, 2002.
- 242. Varnavski AN, Zhang Y, Schnell M, Tazelaar J, Louboutin JP, Yu QC, Bagg A, Gao GP and Wilson JM. Preexisting Immunity to Adenovirus in Rhesus Monkeys Fails to Prevent Vector-Induced Toxicity. J Virol, 76:5711-5719, 2002.
- 243. Gonzalez-Aseguinolaza G, Van Kaer L, Bergmann CC, Wilson JM, Schmieg J, Kronenberg M, Nakayama T, Taniguchi M, Koezuka Y and Tsuji M. Natural Killer T Cell Ligand-Galactosylceramide Enhances Protective Immunity Induced by Malaria Vaccines. J Exp Med, 195: 617-624, 2002.
- 244. Croyle MA, Cheng X and Wilson JM. Development of Formulations that Enhance Physical Stability of Viral Vectors for Gene Therapy. Gene Thera, 8:1281-1290, 2001.
- 245. Moser C, Weiner DJ, Lysenko E, Bals R, Weiser JN and Wilson JM. β-Defensin 1 Contributes to Pulmonary Innate Immunity in Mice. Infection and Immunity, 70:3068-3072, 2002.

- 246. Auricchio A, O'Connor E, Weiner D, Gao GP, Hildinger M, Wang L and Wilson JM. Non-invasive Gene Transfer to Lung for Systemic Delivery of Therapeutic Proteins. J Clin Invest, 110: 499-504, 2002.
- 247. Auricchio A, Rivera VA, Clackson T, O'Conner E, Maguire AM, Tolentino MJ, Bennett J and Wilson JM. Pharmacological Regulation of Protein Expression from Adeno-Associated Viral Vectors in the Eye. Mol Thera, 6: 238-242, 2002.
- 248. Gao GP, Alvira M, Wang L, Calcedo R, Johnston J and Wilson JM. Novel Adeno-Associated Viruses from Rhesus Monkeys as Vectors for Human Gene Therapy. Proc Natl Acad Sci USA, 99: 11854-11859, 2002.
- 249. Xiang ZQ, Gao GP, Li Y, Wilson JM and Ertl HCJ. T Helper Cell-Independent Antibody Responses to the Transgene Product of an E1-Deleted Adenoviral Vaccine Require NK1.1 T Cells. Virology, 305: 397-405, 2003.
- 250. Gruss CJ, Satyamoorthy K, Berking C, Lininger J, Nesbit M, Schaider H, Liu ZJ, Oka M, Hsu MY, Shirakawa T, Li G, Bogenrieder T, Carmeliet P, El-Deiry WS, Eck SL, Rao JS, Baker AH, Bennett JT, Crombleholme TM, Velazquez O, Karmacharya J, Margolis DJ, Wilson JM, Detmar M, Skobe M, Robbins PD, Buck C and Herlyn M. Stroma Formation and Angiogenesis by Overexpression of Growth Factors, Cytokines, and Proteolytic Enzymes in Human Skin Grafted to SCID Mice. The Journal of Investigative Dermatology, 120: 683-692, 2003.
- 251. Croyle MA, Chirmule N, Zhang Y and Wilson JM. PEGylation of E-1 Deleted Adenovirus Vectors Allows Significant Gene Expression upon Re-administration to Liver. Hum Gene Thera, 13: 1887-1900, 2002.
- 252. MacKenzie TC, Kobinger GP, Kootstra NA, Radu A, Sena-Esteves M, Bouchard S, Wilson JM, Verma IM and Flake AW. Efficient Transduction of Liver and Muscle after In Utero Injection of Lentiviral Vectors with Different Pseudotypes. Mol Thera, 6: 349-358, 2002.
- 253. Hoshijima M, Ikeda Y, Iwanaga Y, Minamisawa S, Date MO, Gu Y, Iwatate M, Li M, Wang L, Wilson JM, Wang Y, Ross J and Chien KR. Chronic Suppression of Heart Failure Progression by a Pseudophosphorylated Mutant of Phospholamban via *In Vivo* Cardiac rAAV Gene Delivery. Nature Medicine, 8: 864-871, 2002.
- 254. Bals R and Wilson JM. Cathelicidins A Family of Multifunctional Antimicrobial Peptides. Cellular and Molecular Life Sciences, 60: 711-720, 2003.
- 255. Auricchio A, Behling KC, Maguire AM, O'Conner EE, Bennett J, Wilson JM and Tolentino MJ. Inhibition of Retinal Neovascularization by Intraocular Viral-Mediated Delivery of Anti-Angiogenic Agents. Mol Thera, 6: 490-494, 2002.
- 256. Fitzgerald J, Gao GP, Reyes-Sandoval A, Pavlakis GN, Xiang ZQ, Wlazlo AP, Giles-Davis W, Wilson JM and Ertl HCJ. A Simian Replication-Defective Adenoviral Recombinant Vaccine to HIV-1 Gag. J Immunol, 170: 1416-1422, 2003.
- 257. Green AP, Huang JJ, Scott MO, Beaupre I, Meyers A, Gao GP and Wilson JM. A New Scaleable Method for the Purification of Recombinant Adenovirus Vectors. Hum Gene Thera, 13:1921-1934, 2002.

- 258. Hallows KR, Kobinger GP, Wilson JM, Witters LA and Foskett JK. Physiological Modulation of CFTR Activity by AMP-Activated Protein Kinase in Polarized T84 Cells. Am J Physiol Cell Physiol, 284: C1297-C1308, 2003.
- 259. Auricchio A, Acton P, Hildinger M, Louboutin J-P, Ploessl K, O'Connor EE, Kung HF and Wilson JM. *In Vivo* Quantitative Non-invasive Imaging of Gene Transfer with Single-photon Emission Computerized Tomography. Hum Gene Thera, 14:255-261, 2003.
- 260. Reich SJ, Auricchio A, Hildinger M, Glover E, Maguire AM, Wilson JM and Bennett J. Efficient Trans-Splicing in the Retina Expands the Utility of Adeno-Associated Virus as a Vector for Gene Therapy. Hum Gene Thera, 1:37-44, 2003.
- 261. Johnston J, Tazelaar J, Rivera VM, Clackson T, Gao GP and Wilson JM. Regulated Expression of Erythropoietin from an AAV Vector Safely Improves the Anemia of β-thalassemia in a Mouse Model. Mol Thera, 7: 493-497, 2003.
- Varnavski AN, Schlienger K, Bergelson JM, Gao GP and Wilson JM. Efficient Transduction of Human Monocyte-Derived Dendritic Cells by Chimpanzee-Derived Adenoviral Vector. Hum Gene Thera, 14:533-544, 2003.
- 263. Gao GP, Alvira MR, Somanathan S, Lu Y, Vandenberghe LH, Rux JJ, Calcedo R, Sanmiguel J, Abbas Z and Wilson JM. Adeno-Associated Viruses Undergo Substantial Evolution in Primates During Natural Infections. Proc Natl Acad Sci USA, 100: 6081-6086, 2003.
- 264. Gao GP, Zhou X, Alvira MR, Tran P, Marsh J, Lynd K, Xiao W and Wilson JM. High Throughput Creation of Recombinant Adenovirus Vectors by Direct Cloning, Green White Selection and I-Sce I Mediated Rescue of Circular Adenovirus Plasmids in 293 Cells. Gene Thera, 10: 1926-1930, 2003
- 265. Economides A, Kaplan F, Shore EM, Glaser D, Stahl N, Liu X, Wang L, Wilson JM and Fandl J. In Vivo Somatic Cell Gene Transfer of an Engineered Noggin Mutein Prevents BMP4-Induced Heterotopic Ossification in the Mouse: Implications for the Treatment of Disorders of Heterotopic Ossification. Journal of Bone and Joint Surgery, in press, 2003.
- 266. Wang X, Zhang Z, Louboutin JP, Moser C, Weiner DJ and Wilson JM. Airway Epithelia Regulate Expression of Human β-Defensin 2 Through Toll-like Receptor 2. The FASEB Journal Express, online article 10.1096/fj.02-0616fje; print version 17: 1727-1729, 2003.
- 267. Surace EM, Auricchio A, Reich SJ, Rex T, Glover E, Pineles S, Tang W, O'Connor E, Lyubarsky A, Savchenko A, Pugh EN, Maguire AM, Wilson JM and Bennett J. Delivery of Adeno-Associated Viral Vectors to the Fetal Retina: Impact of Viral Capsid Proteins on Retinal Neuronal Progenitor Transduction. J Virol, 77: 7957-7963, 2003.
- Vinner L, Wee EGT, Patel S, Corbet S, Gao GP, Nielsen C, Wilson JM, Ertl HCJ, Hanke T and Fomsgaard A. Immunogenicity in Mamu-A\*01 Rhesus Macaques of a CCR5-Tropic Human Immunodeficiency Virus Type 1 Envelope from the Primary Isolate (Bx08) after Synthetic DNA Prime and Recombinant Adenovirus 5 Boost. J Gen Virol, 84: 203-213, 2003.
- 269. Medina MF, Kobinger GP, Rux J, Gasmi M, Looney DJ, Bates P and Wilson JM. Lentiviral Vectors Pseudotyped with Minimal Filovirus Envelopes Increased Gene Transfer in Murine Lung. Mol Thera, 8: 777-789, 2003.
- 270. Kobinger GP, Louboutin JP, Barton ER, Sweeney HL and Wilson JM. Correction of the Dystrophic Phenotype by *In Vivo* Targeting of Muscle Progenitor Cells. Hum Gene Thera, 14: 1441-1449, 2003.

- 271. Raper SE, Chirmule N, Lee FS, Bagg A, Gao GP, Heidenreich R, Wilson JM and Batshaw ML. Fatal Systemic Inflammatory Response Syndrome in an Ornithine Transcarbamylase Deficient Patient following Adenoviral Gene Transfer. Mol Gen and Metab, 80: 148-158, 2003.
- 272. Pinto AR, Fitzgerald J, Gao GP, Wilson JM and Ertl HCJ. Induction of CD8+ T Cells to an HIV-1 Antigen upon Oral Immunization of Mice with a Simian E1-Deleted Adenoviral Vector. Vaccine, in press, 2003.
- 273. Xiang ZQ, Li Y, Gao GP, Wilson JM and Ertl HJC. Mucosally Delivered E1-Deleted Adenoviral Vaccine Carriers Induce Transgene Product-Specific Antibody Responses in Neonatal Mice. J Immunol, 171: 4287-4293, 2003.
- 274. Croyle MA, Callahan SM, Auricchio A, Schumer G, Linse K, Wilson JM, Brunner LJ and Kobinger GP. PEGylation of a VSV-G Pseudotyped Lentiviral Vector Prevents Inactivation in Serum. J Virol, in press, 2003.
- 275. Lim FY, Kobinger GP, Weiner DJ, Radu A, Wilson JM and Crombleholme, TM. Human Fetal Trachea-SCID Mouse Xenografts: Efficacy of Vesicular Stomatitis Virus-G Pseudotyped Lentiviral-Mediated Gene Transfer. J Pediatr Surg, 38: 834-839, 2003.
- 276. Sarkar R, Tetreault R, Gao GP, Wang L, Bell P, Chandler R, Wilson JM and Kazazian HH. Total Correction of Hemophilia A Mice with Canine FVIII Using an AAV8 Serotype. Blood, epub ahead of print, Oct 9, accession number 14551134, 2003.
- 277. Xiang ZQ, Gao GP, Reyes-Sandoval A, Li Y, Wilson JM and Ertl HC. Oral Vaccination of Mice with Adenoviral Vectors is not Impaired by Preexisting Immunity to the Vaccine Carrier. J Virol, 77: 10780-10789, 2003.
- 278. Choi EA, Lei H, Maron DJ, Wilson JM, Barsoum J, Fraker DL, El-Deiry WS and Spitz FR. Stat1-Dependent Induction of Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand and the Cell-Surface Death Signaling Pathway by Interferon Beta in Human Cancer Cells. Cancer Res, 63: 5299-5307, 2003.
- 279. Pinto AR, Fitzgerald JC, Giles-Davis W, Gao GP, Wilson JM and Ertl HCJ. Induction of CD8+ T Cells to an HIV-1 Antigen through a Prime Boost Regimen with Heterologous E1-Deleted Adenoviral Vaccine Carriers. J Immunol, in press, 2003.
- Ziegler RJ, Lonning SM, Armentano D, Li C, Souza DW, Cherry M, Ford C, Barbon CM, Desnick RJ, Gao GP, Wilson JM, Peluso R, Godwin S, Carter BJ, Gregory RJ, Wadsworth SC and Cheng SH. AAV2 Vector Harboring a Liver-Restricted Promoter Facilitates Sustained Expression of Therapeutic Levels of α-galactosidase A and the Induction of Immune Tolerance in Fabry Mice. Mol Thera, in press, 2003.
- 281. Kobinger GP, Deng S, Louboutin JP, Vatamaniuk M, Matschinsky F, Markmann JF, Raper S and Wilson JM. Transduction of Human Islets with Pseudotyped Lentiviral Vectors. Hum Gene Thera, in press, 2003.
- 282. Gao GP, Lebherz C, Weiner DJ, Grant R, Calcedo R, Bagg A, Zhang Y and Wilson JM. Erythropoietin Gene Therapy Leads to Autoimmune Anemia in Macaques. Blood, in press, 2003.

#### II. Manuscripts Submitted to Peer Reviewed Journals

- Phaneuf D, Moscioni AD, LeClair C, Raper SE and Wilson JM. Generation of a Mouse Expressing a Conditional Knock-out of the Hepatocyte Growth Factor Gene: Demonstration of Impaired Liver Regeneration.
- 2. Varnavski AN, Calcedo R, Bove M, Gao GP and Wilson JM. Preexisting Immunity Leads to Increased Mortality in Mice Following Systemic Administration of High-Dose Adenoviral Vector.
- 3. Lebherz C, Gao GP, Louboutin JP, Millar J, Rader D and Wilson JM. Gene Therapy with Novel Adeno-Associated Virus Vectors Substantially Diminishes Atherosclerosis in a Murine Model of Familial Hypercholesterolemia.
- 4. Fitzgerald JC, Wilson JM and Ertl HCJ. Identification of a Specific CD8<sup>+</sup> T Cell Epitope in Mice.
- Kobinger GP, Deng S, Louboutin JP, Vatamaniuk M, Rivera VM, Lian MM, Markmann JF, Clackson T, Matschinsky F and Wilson JM. Pharmacologically Regulated Regeneration of Functional Human Pancreatic Islets.
- Gao GP, Vandenberghe L, Alvira MR, Lu Y, Calcedo R, Zhou X and Wilson JM. Clades of Adeno-Associated Viruses are Widely Disseminated in Human Tissues.
- 7. Roy S, Gao GP, Lu Y, Zhou X, Calcedo R, Rux JJ and Wilson JM. Characterization of a Family of Chimpanzee Adenoviruses and Development of Molecular Clones for Gene Transfer Vectors.

#### III. Editorials and Letters

- 1. Askari F and Wilson JM. Provocative Gene Therapy Strategy for the Treatment of Hepatocellular Carcinoma. Hepatology 16:273-274, 1992.
- Collins FS and Wilson JM. Cystic Fibrosis: A Welcome Animal Model. Nature 358:708-709, 1992.
- Wilson JM and Collins FS. Cystic Fibrosis: More from the Modelers. Nature 359:195-196, 1992.
- Wilson JM. Vehicles for Gene Therapy. Nature 365:691-692, 1993.
- Wilson JM and Caplan AL. Gene Therapy in Academic Medical Centers. Gene Therapy 2:169-170, 1995.
- Wilson JM. Round Two for Liver Gene Therapy. Nat Genet 12:232-233, 1996.
- Wilson JM. A Pharmacologic Rheostat for Gene Therapy. Nat Med 2:977-978, 1996.
- Wilson JM. When Bad Gene Transfer Is Good. J Clin Invest 98:2435, 1996.
- 9. Wilson JM. Mutation-specific Oncolytic Viruses. Molec Med Today, in press, 1998.
- Raper SE and Wilson JM. Making Space for Intestinal Gene Therapy. Gastroenterology 112:1753-1756, 1997.
- Wilson JM. Vectors shuttle vehicles for gene therapy. Clin Exp Immunol, 107 (Suppl. 1): 31-32, 1997.
- Chen Y and Wilson JM. Fas ligand a double-edged sword. Nature Biotech 16:1011-1012, 1998.

- 13. Wilson JM. The J.I.M. Interview. J Invest Med 46:425-429, 1998.
- 14. Wilson JM. Human Gene Therapy: Present and Future. Human Genome News, 10:15-16, 1999.
- Wilson JM. American Society of Gene Therapy 1999 Presidential Address. Hum Gene Thera, 10:15, 2569-2573, 1999.

#### IV. Non Peer Reviewed Journals and Book Chapters

- Wilson JM, Mitchell BS and Kelley WN. Molecular mechanism(s) of deoxyribonucleotide toxicity in T-lymphoblasts. Adv Exp Biol Med 122B:265-270, 1980.
- 2. Kelley WN and Wilson JM. Human hypoxanthine-guanine phosphoribosyl-transferase: Studies of the normal and five mutant forms of the enzyme. Trans Amer Clin Clim Assoc 94:91-99, 1983.
- 3. Wilson JM and Kelley WN. Molecular genetics of HPRT deficiency. Hosp Pract 19:81-100, 1984.
- 4. Kelley WN, Searle JG and Wilson JM. HPRT-Deficiency The molecular basis of a clinical syndrome. <u>Verhandlungen der Deutschen Gesellschaft fur Innere Medizine</u>, 92. Band, J.F. Bergmann Verlag, Munchen, 1986.
- Engelhardt, JF and Wilson, JM. Gene therapy of cystic fibrosis lung diseases. Journal of Pharmacy and Pharmacology 44:165-167, 1992.
- Mitchell BS, Wilson JM, Mejias E, and Kelley WN. Differential effects of deoxyribonucleosides on human T- and B-lymphoblast cell lines. In <u>Symposium IX: Inborn Errors of Specific Immunity</u>, B Pollara, RJ Pickering, HJ Meuwissen and IH Porter (eds). Academic Press, New York, pp 209-220, 1979.
- 7. Wilson JM, Baugher BW and Kelley WM. Hypoxanthine-guanine phosphoribosyl-transferase in human lymphoblastoid cells: Confirmation of four structural variants and demonstration of a new variant (HPRT<sub>Ann Arbor</sub>). In <u>Purine Metabolism in Man IV Part B</u>, CHMM De Bruyn, HA Simmonds and MM Muller (eds). Plenum Publishing Corporation, pp 33-38, 1984.
- Wilson JM, Tarr GE and Kelley WN. The primary structure and posttranslational modification of human hypoxanthine-guanine phosphoribosyltransferase. In <u>Purine Metabolism in Man - IV Part</u>
   CHMM De Bruyn, HA Simmonds and MM Muller (eds). Plenum Publishing Corporation, pp 39-44, 1984.
- Wilson JM, Daddona PE, Simmonds HA and Kelley WN. Genetic mechanism(s) responsible for a
  deficiency of adenine phosphoribosyltransferase in man. In <u>Purine Metabolism in Man IV. Part
  A.</u> CHMM De Bruyn, HA Simmonds and MM Muller (eds). Plenum Publishing Corporation, pp
  385-389, 1984.
- Chowdhury JR, Chowdhury NR, Demetriou AA, and Wilson JM. Transplantation of liver cells: potential for use in somatic gene therapy. NATO Advanced Workshop on Animal Cell Technology, Brussells, 1988.
- 11. Chowdhury JR, Chowdhury NR, Demetriou AA, and Wilson JM. Use of microbeads for cell transplantation. In <u>Advanced Research on Animal Cell Technology</u>, A. O. A. Miller (ed.). Kluwer Academic Publishers, pp 315-327, 1989.

- 12. Nussbaum S, Wilson JM, Thompson A, Stork P, Lupassakis C, Rosenberg A, Mulligan RC, Potts Jr JT, and Kronenberg H. Long-term expression of human parathyroid hormone in rats after gene transfer into syngeneic fibroblasts: A model for osteoclast-mediated bone resportion. International Congress of Calcium Regulating Hormones, 1989.
- 13. Wilson JM, Birinyi LK, Salomon RN, Libby P, Callow AD, and Mulligan RC. Genetically modified endothelial cells in the treatment of human diseases. In <u>Transactions of the Association of American Physicians</u>, Volume CII:139-147, 1990.
- 14. Brothers TE, Judge LM, Wilson JM, Burkel WE, and Stanley JC. Effect of genetic transduction on in vitro canine endothelial cell prostanoid production and growth. In <u>American College of Surgeons 1990 Forum</u>, Volume XLI:337-339, 1990.
- 15. Krauss JC, Ping AJ, Mayo-Bond L, Rogers CE, Anderson DC, Todd III RF, and Wilson JM. Complementation of genetic and functional defects in CD18 deficient lymphocytes by retrovirus mediated gene transfer. In <a href="https://dx.ncbi.nlm.ncbi.nl
- 16. Wilson JM. Prospects for Gene Therapy. In <u>Kelley's Textbook of Internal Medicine</u>, <u>Second Edition</u>, WN Kelley (ed.), J. B. Lippincott Publishers 2:2133-2135, 1992.
- 17. Krauss JC and Wilson JM. Somatic gene transfer in the treatment of inherited defects of immune functions. In <a href="Exerpta Medica International Congress Series">Exerpta Medica International Congress Series</a>, TO Yoshida and JM Wilson (eds). Elsevier Science Publishers B.V., Amsterdam, pp. 437-447, 1992.
- 18. Wilson JM and Grossman M. Liver-Directed Gene Therapy In the Treatment of Familial Hypercholesterolemia. In <u>Genetic Approaches of Coronary Heart Disease and Hypertension</u>, K Berg, V Bulzhenkov, Y Christen, and P Corval (eds.). Springer-Verlag Publishers, pp 152-156, 1991.
- Krauss JC, Bond L-M, Rogers CE, Weber KL, Todd RF III, and Wilson JM. Long Term In vivo Cell Surface Expression of Human CD18 in Murine Hematopoietic Cells. In <u>The Transactions of</u> the <u>Association of American Physicians</u>, Volume CIV:131-140, 1991.
- 20. Grossman M and Wilson JM. Retroviruses: Delivery Vehicle to the Liver. Current Opinion in Genetics and Development, Volume 3:110-114, 1993.
- 21. Kozarsky KF and Wilson JM. Gene Therapy: adenovirus vectors. Current Opinion in Genetics and Development, Volume 3:499-503, 1993.
- 22. Wilson JM. Cystic Fibrosis: Strategies for Gene Therapy. Seminars in Respiratory Medicine 15:439-445, 1994.
- 23. Rader DJ and Wilson JM. Gene Therapy for Lipid Disorders. In <u>Molecular Cardiovascular Medicine</u>, E Haber (ed.). Scientific American Medicine, New York, pp. 97-114, 1995.
- Robinson MB, Batshaw ML, Ye X and Wilson JM. Prospects for Gene Therapy in Ornithine Carbamoyltransferase Deficiency and Other Urea Cycle Disorders. Mental Retardation and Developmental Disabilities Research Reviews 1:62-70, 1995.
- Eck SL and Wilson JM. Gene-Based Therapy. In <u>The Pharmacological Basis of Therapeutics</u>, JG Hardman, LE Limbird, PB Molinoff, RW Ruddon, and AG Gilman (eds.). McGraw-Hill, New York, pp. 77-101, 1995.

- 26. Rader DJ, Raper SE and Wilson JM. Gene Therapy for Metabolic Disease. In <u>Diabetes Mellitus:</u>
  A <u>Fundamental and Clinical Text</u>, Edition 1, D LeRoith, SI Taylor, and JM Olefsky (eds.).
  Lippincott-Raven, Philadelphia, pp. 432-438, 1996.
- 27. Engelhardt JF and Wilson JM. Explant Models of the Airway. In <u>The Lung: Scientific Foundations, Second Edition</u>, RG Crystal, JB West, ER Weibel and PJ Barnes (eds.). Lippincott-Raven, Philadelphia, pp 345-352, 1997.
- 28. Raper SE and Wilson JM. Gene Therapy for Human Liver Disease. In <u>Progress in Liver Diseases</u>, Volume XIII:201-230, 1995.
- 29. Kozarsky KF and Wilson JM. Gene Therapy of Hypercholesterolemic Disorders. Trends in Cardiovascular Medicine 5:205-209, 1995.
- Wilson JM. Adenovirus-Mediated Gene Transfer to Liver. Advanced Drug Delivery Reviews, 17:303-307, 1995.
- 31. Xiang ZQ, Yang Y, Wilson JM and Ertl HCJ. Rabies Vaccine Based on E1-Deleted Recombinant Adenovirus. In <u>Vaccines 96</u>, Cold Spring Harbor Laboratory Press, in press, 1996.
- 32. Wilson JM. Gene Therapy. In <u>Kelley's Textbook of Internal Medicine</u>, <u>Third Edition</u>, WN Kelley (ed). Lippincott-Raven Publishers, Philadelphia, pp 2314-2315, 1997.
- 33. Weitzman MD, Wilson JM and Eck SL. Adenovirus Vectors in Cancer Gene Therapy. In <u>The Internet Book of Gene Therapy: Cancer Therapeutics</u>, RE Sobol and KJ Scanlon (eds.). Appleton & Lange, Connecticut, pp. 17-25, 1995.
- 34. Wilson JM. Gene Therapy for Cystic Fibrosis: Challenges and Future Directions. J Clin Invest 96:2547-2554, 1995.
- Wilson JM. Animal Models of Human Disease for Gene Therapy. J Clin Invest 97:1138-1141, 1996.
- 36. Wilson JM. Gene Therapy: Adenoviruses as Gene-Delivery Vehicles. New Engl J Med 334:1185-1187, 1996.
- 37. Hillman AL, Brenner MK, Caplan AL, Carey J, Champey Y, Culver KW, Drummond MF, Freund DA, Holmes EW, Kelley WN, Kolata G, Levine MN, Levy E, Schondelmeyer SW, Velu T and Wilson JM. Gene Therapy: Socioeconomic and Ethical Issues A Roundtable Discussion. Hum Gene Thera, 7:1139-1144, 1996.
- 38. Davis A and Wilson JM. Adenoviral Vectors. In <u>Current Protocols in Human Genetics</u>, John Wiley & Sons, Inc., Unit 12.4, 1996.
- 39. Wilson JM and Askari FK. Hepatic and Gastrointestinal Gene Therapy. In <u>Textbook of Gastroenterology</u>, T Yamada, D Alpers, C Owyang, DW Powell, and FE Silverstein (eds.). J.B. Lippincott Company, Philadelphia, pp. 1-20 (Gastroenterology Updates), 1996.
- Wivel NA and Wilson JM. Gene therapy research Current human applications. BioForum, in press, 1996.
- 41. Raper SE and Wilson JM. Molecular Genetics & Gene Therapy. In <u>Pediatric Surgery</u>, JA O'Neill (ed.). Mosby, St. Louis, Missouri, in press, 1998.

- 42. Wilson JM. Immunology of Adenovirus Vectors. <u>Genomics Genetic Basis of Human Disease</u>, Scientific Symposium on the 100th Anniversary of Hoffmann-La Roche, October 2-3, 1996 in Switzerland. Blackwell Wissenschafts-Verlag GmbH, Berlin, in press, 1998.
- 43. Yudkoff M, Daikhin Y, Ye X, Wilson JM and Batshaw ML. *In vivo* Measurement of Ureagenesis with Stable Isotopes. J Inher Metab Dis, 21:21-29, 1998.
- 44. Wivel NA, Gao GP and Wilson JM. Adenovirus Vectors. (Chapter 5) In <u>The Development of Human Gene Therapy.</u> T Friedman.(ed). Cold Spring Harbor Laboratory Press, pp. 87-110, 1999.
- 45. Wivel NA and Wilson JM. Methods of Gene Delivery. In <u>Hematology/Oncology Clinics of North America</u>, SL Eck (ed). W.B. Saunders Company, Philadelphia, pp. 483-501, 1998.
- 46. Wilson JM. Exciting Advances in Research. In <u>Integrating Health Care Systems; 1998 Duke Private Sector Conference</u>, R Snyderman and VY Saito (eds.) Duke University Medical Center and Health System, Durham, pp. 121-125, 1998.
- 47. Bals R, Weiner DJ and Wilson JM. The innate immune system in cystic fibrosis lung disease. J Clin Invest, 103:303-307, 1999.
- 48. Davis AR, Wivel NA and Wilson JM. Construction of Adenoviral Vectors. In Developmental Biology Protocols, RS Tuan and CW Lo (eds.), Humana Press, Totowa, pp 515-523, 1999.
- 49. Rader DJ, Raper SE and Wilson JM. Gene Therapy for Metabolic Disease. In <u>Diabetes Mellitus:</u>
  A Fundamental and Clinical Text, Edition 2, D LeRoith, SI Taylor, and JM Olefsky (eds.).
  Lippincott-Raven, Philadelphia, pp. 526-534, 1999.
- 50. Gao GP, Wilson JM and Wivel N. Virus Vectors for Gene Therapy ("Production of Recombinant Adeno-Associate Virus" in AAV Section). In <u>Advances in Virus Research</u>, Academic Press, New York, 55:529-543, 2000.
- 51. Wivel N and Wilson JM. Gene Therapy. In <u>Kelley's Textbook of Internal Medicine</u>, Fourth Edition, WN Kelley (ed). Lippincott-Raven Publishers, Philadelphia, pp 2829-31, 1999.
- Caplan A and Wilson JM. The Ethical Challenges of In Utero Gene Therapy. Nat Genet, 24:107, 2000.
- 53. Wivel N and Wilson JM. Gene Therapy. Wiley Encyclopedia of Molecular Medicine, TE Creighton (ed). John Wiley & Sons, Inc., New York, pp 1406-1408, 2002.
- 54. Davis AR, Wivel NA, Palladino JL, Tao L and Wilson JM. Construction of Adenoviral Vectors. Molecular Biotechnology, 18:63-70, 2001.
- 55. Shifrin AL, Auricchio A, Wilson JM and Raper SE. Correction of Hyperglycemia by Expression of Insulin Gene in the Pancreas with Adenoviral Vector. <u>Surgical Forum Vol LI</u>, American College of Surgeons, pp 47-49, 2000.
- 56. Davis AR, Wivel NA, Palladino JL, Tao L and Wilson JM. Protocol: Construction of Adenoviral Vector. Methods Mol Bio, 135:515-523, 2000.
- 57. Zoltick PW and Wilson JM. Regulated Gene Expression in Gene Therapy. New Vistas in Therapeutics, Annals NY Acad Sci, pp 53-63, 2001.

- 58. Wilson JM. Adenoviruses as Vectors for Human Gene Therapy. In <u>Gene Therapy in Lung Disease</u>. Albelda SM (Ed.). Marcel Dekker, Inc. New York, pp. 31-49, 2002.
- 59. Batshaw ML, Wilson JM, Ye X and Raper SE. Gene Therapy: A Potential Solution for Nutrition Dependent Disorders? In *Genetic Expression and Nutrition*. C Bachmann, B Koletzko (Eds.) Nestlé Nutrition Workshop Series, Pediatric Program, Vol 50. Lippincott Williams & Williams, Philadelphia, 2003, pp.263-79.

#### V. Books

 Yoshida TO and Wilson JM, Editors. Molecular Approaches to the Study and Treatment of Human Diseases, <u>Excerpta Medica International Congress Series</u>. Elsevier Science Publishers B.V., Amsterdam, 1992.

# NOV 1 0 2004

# Customer No. 00270 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

h re the Application of	) Group Art Unit: 1632
James M. Wilson et al	) ) Examiner: R. Shukla
Appln No. 09/757,673	) ) Confirmation No. 8771
Filed: January 10, 2001	) ) Docket No. GNVPN.019B1USA
For: METHOD FOR RECOMBINANT ADENO-ASSOCIATED VIRUS-	)
DIRECTED GENE THERAPY	)
Commissioner for Patents	
P.O. Box 1450	
Alexandria VA 22313-1450	

# **DECLARATION PURSUANT TO 37 CFR 1.132**

Sir:

- I, Guangping Gao, residing at 408 Yorkshire Road, Rosemont, Pennsylvania 19010-1119, do declare and state that:
- 1. I am currently Director of the Vector Program at the Department of Medicine, School of Medicine, University of Pennsylvania. I have been employed in the University of Pennsylvania and have been involved in the vector production for the gene therapy program since 1994. The details of my educational background, including my postgraduate training and fellowship appointments, my appointments, memberships in professional and scientific societies, and my publications are provided in the attached copy of my *curriculum vitae*.

- 2. I am familiar with the above-identified patent application and have reviewed the current Office Action and pending claims.
- 3. I have also reviewed US Patent No. 5,858,351, Podsakoff et al ("Podsakoff") and Fisher et al, *J. Virol.*, 79:520-532 (1996). Podsakoff at column 18, lines 20-35, described production of recombinant AAV (rAAV) virions in human 293 cells. 293 cells were transfected by standard calcium phosphate precipitation with rAAV, infected with human adenovirus serotype 2 (Ad2) and incubated as described. Cells were ultimately layered onto a cesium chloride gradient centrifugation, extracted from the gradient and heat inactivated. While heat treatment of the helper adenovirus can affect the infectivity of the adenovirus, heat treatment does not remove helper adenovirus or adenoviral protein contaminants. Helper adenovirus and adenoviral protein contaminants are immunogenic, regardless of heat treatment.
- 4. The experiment described in this Declaration was performed, in part, by me personally, and, in part, under my direction, in the laboratories of The University of Pennsylvania.
- as described in the specification. More particularly, a total of 1 x 10<sup>9</sup> 293 cells were seeded in 150 mm plates. These 293 cells are a late passage cell seed with a passage number around 110 (about 75 from the original ATCC stock of 35 passages). These cells have been optimized for adenovirus production, as the cells used in the original experiments were not available. The next day, the cells were first infected with an E1-deleted adenovirus helper, H5.010CBALP, at an MOI of 200 viral particles per cells in DMEM medium supplemented with 2% of FBS. At 2 hours post infection, the cells were co-transfected with a pAAV2rep/2cap trans-and a pAAV2CMVLacZ cisplasmid exactly as described in Fisher *et al*, *J Virol*, 70:520-532 (1996) ("Fisher article"), which is cited and incorporated by reference in the specification on page 15, lines 11-13, and also cited on page 34, lines 6-7 of the specification. Sixteen hours

later, the infection/transfection medium was replaced with fresh DMEM containing 2% FBS. The cells were harvested at 40 hours post infection. For the studies described in Paragraphs 7, 8, 9, and 10 crude lysate was subjected to the purification process as described in the specification and the Fisher article. After each of 4 cesium chloride gradient centrifugations, ¼ AAV containing fraction (equivalent to AAV produced from approximately 2.5-5 x 10<sup>8</sup> cells) was desalted and the remaining AAV-containing fraction was put onto the next run of CsCl gradient centrifugation. At the end, a total of 4 desalted AAV containing fractions were collected.

6. Level of total adenoviral capsid proteins in a crude rAAV lysate prior to a first round of cesium chloride gradient centrifugation and without heat inactivation.

Two independent transfections were performed as described in Paragraph 5. Crude lysate from these two transfections was used in this study.

A. SDS-PAGE, blotting and protein detection:

18.78, 7.5, 3.75 and 1.5 μl of crude lysate from two independent transfections were diluted in NuPAGE LDS reducing buffer (4X) (Invitrogen) and heated at 70° for 10 minutes. 6.5x10<sup>8</sup> pts of CsCl purified H5.010CBALP was loaded onto the gel as a reference control. Electrophoresis was carried out in a NuPAGE 4-12% Bis-Tris Gel (Invitrogen) at 200V and 70 mA for 1 hour. See Blue Plus2 Pre-Stained Molecular weight Markers (Invitrogen) were used as standards. After electrophoresis the gels were blotted onto Immun-Blot PVDF membranes in a Mini Trans-blot Transfer cell (Bio-Rad) at 30 V for 12 hours at 4° C. After transfer, the Immun-Blot PVDF membranes were stained with Ponceau Red (Sigma).

#### B. Western Blot:

The western blot was performed using Western Breeze kit from Invitrogen. PVDF membranes were blocked with Blocking solution for 1 hour on a rotary shaker set at 1 rev/sec. The membranes were washed once with washing buffer 5 minutes and incubated for 1 hour at room temperature with 1:1,000 dilution of

primary antibody diluted in Primary antibody solution. The membranes were washed 5 times for 25 minutes. (5 minute incubations) and incubated for 30 minutes with goat anti rabbit IgG HRP 1:1000 dilution in TBS (PBS+0.05% Tween 20). PVDF membranes were washed 5 times for 25 minutes and immunoreactive bands were revealed with ECL Western Blot kit (Amershan Bioscience). See Fig. 1.

#### C. Result analysis:

- 1. Both samples showed adenovirus bands with the same intensity, indicating that adenovirus contaminations in two independent transfection/infection experiments were at the same level.
- 2. The adenovirus band intensity in 1.5  $\mu$ l lysate loading lanes was 2-3 time stronger than the reference control. Therefore adenovirus protein contamination in a 25 plate lysate can be estimated as the following: 6.5 x10<sup>8</sup> x 3 x 1000/1.5 x 25 = 3.25 x10<sup>12</sup> virus particle equivalent.

#### 7. Alkaline phosphatase transduction assay

This assay is performed to detect the amount of infectious adenoviral particles, as determined by the expression of reporter gene.

(a) For the assay validation, CsCl gradient purified E1-deleted adenovirus expressing human placenta alkaline phosphatase (H5.010CBALP, 4 x 10<sup>12</sup> pts/ml) was used. A vial of the virus (400 μl) was thawed on ice and 100 μl was taken out. Then the samples were serially diluted from 10<sup>-1</sup> to 10<sup>-6</sup> and used to infect A549 cells that were seeded in 24 well plates at a density of 5 x 10<sup>5</sup> cells per well one day prior to the infection. Twenty-four hours after infection, cells were fixed in 0.5% glutaraldehyde/PBS, washed with PBS and incubated at 65 °C for 30 minutes to inactivate the endogenous alkaline phosphatase activity. Under this condition, human placenta alkaline phosphatase expressed from the adenovirus vector remains active because of its heat resistant nature. Cells were then stained with NBT/BCIP at room temperature for 1 hour and purple cells were counted under a light microscope. Average number of purple cells counted in 3 non-infected control wells was taken as the background staining and subtracted from the counts in sample wells.

- (b) To detect infectious H5.010CBALP in different AAV fractions from the 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup> and 4<sup>th</sup> centrifugations, 10 μl samples underwent 10-fold series of dilution and were used to infect 24-well plates of A549 cells for 24 hours. Alkaline phosphatase staining and counting of the infected cells were carried out.
- (c) The results of the experiments described herein demonstrate that there is a reduction in infectious adenovirus particles in rAAV preparations achieved with each subsequent round of CsCl gradient centrifugation.

## 8. Four-step CsCl gradient centrifugation efficiently removes contaminating helper adenovirus from the AAV preparation

(a) The data in this Paragraph shows the percent reduction in infectious adenoviral particles following each spin, without heat inactivation of the preparation. This was performed to illustrate the total number of contaminating infectious adenoviral particles.

Table 1
Effectiveness of CsCl gradient centrifugation steps to remove infectious helper adenovirus without heat inactivation

		Remaining	
		Transduction	De-contamination
<b>Samples</b>	Titer (TU/ml)	<u>activity</u>	<u>Efficiency</u>
1 <sup>st</sup> spin	$6.8 \times 10^9$	100%	0%
2 <sup>nd</sup> spin	$3.12 \times 10^9$	45.88%	54.12%
3rd spin	$1.87 \times 10^8$	2.75%	97.25%
4 <sup>th</sup> spin	$4.29 \times 10^7$	0.63%	99.37%

(b) When AAV fractions from each of 4 centrifugations were assayed for ALP transduction, the data clearly demonstrated that the second centrifugation only removed an additional 50% of helper virus remaining from the first centrifugation, whereas the 3<sup>rd</sup> and 4<sup>th</sup> centrifugations further reduced adenovirus contamination to 3% and less than 1% levels, respectively (Table 1). The data

obtained from the first centrifugation was set as the start point to calculate relative decontamination efficiency in further centrifugation steps.

(c) This ALP transduction data indicates efficient removal of contaminating infectious helper adenovirus from the AAV fractions using the techniques described in the specification.

## 9. Heat Inactivation Does Not Alter Total Adenovirus Contaminants

- (a) In the present study, the effect of heat inactivation on rAAV prepared as described at various time points is provided.
- (b) The data obtained from the first centrifugation was set as the start point to calculate relative decontamination efficiency in further centrifugation steps.

Table 2
Effectiveness of CsCl gradient centrifugation steps to remove infectious helper adenovirus

Sample	Titer (TU/ml)	Remaining Transduction activity	De-contamination Efficiency
II4- 1 fa., (0 min			٠,
Heated for 60 min 1 <sup>st</sup> spin	$1.20 \times 10^{0}$	100%	0%
2 <sup>nd</sup> spin	$1.20 \times 10^{0}$	0%	100%
3rd spin	$1.1 \times 10^{0}$	0%	100%
4 <sup>th</sup> spin	$1.00 \times 10^{0}$	0%	100%

(c) This transduction data indicates efficient removal of contaminating infectious helper adenovirus from the AAV fractions following three and four spins. This data is not relevant to the contamination, because this effectively illustrates only that infectious adenoviral particles are destroyed following 60 minutes of heat inactivation. This assay does not measure total adenoviral contaminants present.

- 10. Multiple runs of CsCl gradient centrifugation remove contaminating adenovirus proteins from AAV fractions efficiently.
- (a) Equal amounts of AAV fractions from each centrifugation (20 μL) were subjected to a Western blot assay using rabbit polyclonal antibody to either adenovirus (genome copies, GC) or purified adenoviral hexon protein to detect adenovirus protein remaining in the AAV fractions, in order to determine the efficiency of each centrifugation step in purifying AAV vector from contaminating adenovirus proteins.
- (b) The Western blot was performed using Western Breeze™ kit from Invitrogen. PVDF membranes were blocked with blocking solution for 1 hour on a rotary shaker set at 1 rev/sec. The membranes were washed once with washing buffer for 5 minutes and incubated for 1 hour at room temperature with 1:1,000 dilution of primary antibody diluted in primary antibody solution. The blots were then washed 5 times for 5 minutes each and then incubated for 30 minutes with 1:1000 dilution of goat anti rabbit IgG HRP in TBS (PBS+0.05% Tween 20). PVDF membranes were washed 5 times for a total of 25 minutes and immunoreactive bands were revealed with ECL Western Blot kit (Amersham Bioscience). For the positive control, 6.5x 10<sup>8</sup> particles of CsCl gradient centrifugation purified adenovirus vector were used in the analysis.
- (c) Fig.2A shows the results of Ponceau Red staining for total protein contents; Fig. 2B shows the results of Western blot using rabbit polyclonal antibody against adenovirus, and Fig. 2C shows the results of Western blot using rabbit polyclonal antibody against adenovirus hexon protein, as compared to 1 or 2 spins. The estimated number of total adenoviral particles (both infectious and non-infectious) following each round of centrifugation is provided in the following table.

Table 3
Effectiveness of CsCl gradient centrifugation steps to remove total contaminating adenovirus proteins (adenoviral (Ad) particle equivalents)

<u>Samples</u>	Contaminating Ad Proteins (Ad Particle Equivalents)		
1 <sup>st</sup> spin	$3.4 \times 10^{12}$		
2 <sup>nd</sup> spin	$2.55 \times 10^{12}$		
3 <sup>rd</sup> spin	$1.7 \times 10^{12}$		
4 <sup>th</sup> spin	8.5 x 10 <sup>11</sup>		

These values are estimated based on the Western Blot of Fig. 2B, showing total hexon, capsid and fiber proteins, which are the major proteins of the adenoviral capsid.

- (d) These results demonstrate that at least four rounds of cesium chloride gradient centrifugation provide a much greater reduction in adenovirus protein contaminants than one or two spins.
- 11. The data presented herein establish that the prior art does not provide rAAV with the great reduction in helper adenovirus and adenovirus protein contamination taught by the present invention. These data further establish that adenovirus contamination in rAAV preparations is at the same level in independent rAAV productions.
- 12. It is well established in the art that heat treatment of adenovirus preparations can affect the infectivity of adenovirus. This is further supported by the data presented in Table 2. Heat treatment does not remove helper adenovirus or adenoviral protein contaminants, as is illustrated in Table 3 (showing the reduction of total adenoviral contaminants according to the present invention). Helper adenovirus and adenoviral protein contaminants are immunogenic, regardless of whether the preparation has been heat treated or not heat treated.


herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issues thereon.


Guangping Gao

5/11/04

Date:

Fig. 1 Western Blot. Polyclonal Ab (Anti-H5)





#### Curriculum Vitae

#### Guangping Gao, Ph.D.

**Home Address**:

408 Yorkshire Road

Rosemont, PA 19010-1119

Office Address:

M6.40 Maloney Building 36 & Spruce Streets Phila., PA 19104-4283 Tel. No: 215-614-0091 Pager No: 215-312-2685 Fax No: 215-614-0097

E-mail: ggao@mail.med.upenn.edu

Education:

1978-82

Bachelor's Degree of Medicine

1988-90

West China University of Medical Sciences M.S. Florida International University

1990-94

Ph.D. Florida International University

(Biological Sciences)

### Postgraduate Training and Fellowship Appointments:

1988-89

Fellowship, Biomedical Engineering, World Health Organization/Florida

International University, Miami

1994-96

Postdoctoral Fellow, Gene Therapy, Dr. James Wilson's Laboratory Institute for Human Gene Therapy University of Pennsylvania, Philadelphia

#### Faculty /Staff Appointment:

1986-1988

Instructor in Biochemistry, Department of Biochemistry, College of Pharmaceutical Sciences, West China University of Medical

Sciences, Chengdu, P.R. China

1996-1998

**Assistant Director** 

Human Applications Laboratory Institute for Human Gene Therapy

University of Pennsylvania Philadelphia, U.S.A.

1998-2002

**Associate Director** 

Vector Program

Institute for Human Gene Therapy

University of Pennsylvania

Philadelphia, U.S.A.

2003-present

Director Vector Program

Gene Therapy Program
Department of Medicine
Division of Medical Genetics

Page 2

School of Medicine

University of Pennsylvania

Philadelphia, U.S.A.

#### Bibliography:

#### Chapters in Books:

Gao, G.P., Wivel N., and James M. Wilson. Production of Recombinant AAV, Viral Vectors for Gene Therapy. In Advances in Virus Research. Edited by J.C. Glorioso. Academic Press, New York, 55:529-543, 2000

Wivel N., Gao, G.P., and James M. Wilson. Adenoviral Vectors. The Development of Human Gene Therapy. Edited by Theodore Friedman, Cold Spring Harbor Laboratory Press, New York, pp.87-110, 1999

#### Research Publications, Peer Reviewed:

Roy S, Gao GP, Lu Y, Zhou X, Lock M, Calcedo R and Wilson JM.
Characterization of a Family of Chimpanzee Adenoviruses and
Development of Molecular Clones for Gene Transfer Vectors.
Hum Gene Thera, in press, 2004.

Reyes-Sandoval A, Fitzgerald JC, Grant R, Roy S, Xiang ZQ, Li Y, Gao GP, Wilson JM and Ertl HCJ. HIV-1 Specific Immune Responses in Primates upon Sequential Immunization with Adenoviral Vaccine Carriers of Human and Simian Serotypes. J Virol, in press, 2004.

Gao GP, Luk H. Vandenberghe, Mauricio R. Alvira, You Lu, Roberto Calcedo, Xiangyang Zhou and James M. Wilson. Clades of Adeno-Associated Viruses are Widely Disseminated in Human Tissues. J. Virol. In press, 2004

Ziegler RJ, Lonning SM, Armentano D, Li C, Souza DW, Cherry M, Ford C, Barbon CM, Desnick RJ, Gao GP, Wilson JM, Peluso R, Godwin S, Carter BJ, Gregory RJ, Wadsworth SC and Cheng SH. AAV2 Vector Harboring a Liver-Restricted Promoter Facilitates Sustained Expression of Therapeutic Levels of α-galactosidase A and the Induction of Immune Tolerance in Fabry Mice. Mol Thera, in press

Gao GP, Lebherz C, Weiner DJ, Grant R, Calcedo R, Bagg A, Zhang Y and Wilson JM. Erythropoietin Gene Therapy Leads to Autoimmune Anemia in Macaques. Blood, in press

Lebherz C, Gao GP, Louboutin JP, Millar J, Rader D and Wilson JM.

Gene Therapy with Novel Adeno-Associated Virus Vectors Substantially Diminishes Atherosclerosis in a Murine Model of Familial Hypercholesterolemia. J of Gene Med, in press.

Pinto AR, Fitzgerald J, Gao GP, Wilson JM and Ertl HCJ. Induction of CD8+ T Cells to an HIV-1 Antigen upon Oral Immunization of Mice with a Simian E1-Deleted Adenoviral Vector. Vaccine, in press.

Xiang ZQ, Li Y, Gao GP, Wilson JM and Ertl HJC. Mucosally Delivered E1-Deleted Adenoviral Vaccine Carriers Induce Transgene Product-Specific Antibody Responses in Neonatal Mice. J Immunol, 171:4287-4293, 2003.

- Raper SE, Chirmule N, Lee FS, Bagg A, Gao GP, Heidenreich R, Wilson JM and Batshaw ML. Fatal Systemic Inflammatory Response Syndrome in an Ornithine Transcarbamylase Deficient Patient following Adenoviral Gene Transfer. Mol Gen and Metab, 80: 148-158, 2003.
- Sarkar R, Tetreault R, Gao GP, Wang L, Bell P, Chandler R, Wilson JM and Kazazian HH. Total Correction of Hemophilia A Mice with Canine FVIII Using an AAV8 Serotype. Blood, epub ahead of print, Oct 9, accession number 14551134, 2003.

Xiang ZQ, Gao GP, Reyes-Sandoval A, Li Y, Wilson JM and Ertl HC.
Oral Vaccination of Mice with Adenoviral Vectors is not Impaired
by Preexisting Immunity to the Vaccine Carrier. J Virol, 77:
10780-10789, 2003.

Pinto AR, Fitzgerald JC, Giles-Davis W, Gao GP, Wilson JM and Ertl HCJ. Induction of CD8+ T Cells to an HIV-1 Antigen through a Prime Boost Regimen with Heterologous E1-Deleted Adenoviral Vaccine Carriers. J Immunol, 171: 6774-6779, 2003.

Vinner L, Wee EGT, Patel S, Corbet S, Gao GP, Nielsen C, Wilson JM, Ertl HCJ, Hanke T and Fornsgaard A. Immunogenicity in Mamu-A\*01 Rhesus Macaques of a CCR5-Tropic Human Immunodeficiency Virus Type 1 Envelope from the Primary Isolate (Bx08) after Synthetic DNA Prime and Recombinant Adenovirus 5 Boost. J Gen Virol, 84: 203-213, 2003.

Gao, G.P., Alvira, M.R., Somanathan, S., Lu, Y., Sanmiguel, J., Abbas, Z., Johnston, J., and Wilson, J.M. Adeno-associated viruses undergo substantial evolution in primates during natural infections. PNAS, 100:6081-6086, 2003.

Gao GP, Zhou X, Alvira MR, Tran P, Marsh J, Lynd K, Xiao W and Wilson JM. High Throughput Creation of Recombinant Adenovirus Vectors by Direct Cloning, Green White Selection and I-Sce I Mediated Rescue of Circular Adenovirus Plasmids in 293 Cells. Gene Therapy, 10: 1926-1930, 2003.

Xiang ZQ, Gao GP, Li Y, Wilson JM and Ertl HCJ. T Helper Cell-Independent Antibody Responses to the Transgene Product of an E1-Deleted Adenoviral Vaccine Require NK1.1 T Cells. Virology, 305: 397-405, 2003

Fitzgerald J, Gao GP, Reyes-Sandoval A, Pavlakis GN, Xiang ZQ, Wlazlo AP, Giles-Davis W, Wilson JM and Ertl HCJ. A Simian Replication-Defective Adenoviral Recombinant Vaccine to HIV-1 Gag. J Immunol, 170: 1416-1422, 2003

Johnston J, Tazelaar J, Rivera VM, Clackson T, Gao GP and Wilson JM. Regulated Expression of Erythropoietin from an AAV Vector Safely Improves the Anemia of β-thalassemia in a Mouse Model. Mol Thera, in press.

Varnavski AN, Schlienger K, Bergelson JM, Gao GP and Wilson JM.

Efficient Transduction of Human Monocyte-Derived Dendritic Cells by Chimpanzee-Derived Adenoviral Vector. Hum Gene Thera, in press.

Recombinant Adenovirus Vectors. Hum Gene Thera, 13:1921-

Green AP, Huang JJ, Scott MO, Beaupre I, Meyers A, Gao GP and Wilson JM. A New Scaleable Method for the Purification of

1934, 2002.

Gao, G.P., Alvira, M., Wang, L., Calcedo, R., and Wilson, J.M. Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy. Proc Natl Acad Sci USA, 99: 11854-11859, 2002.

- Auricchio, A., O'Connor, E., Weiner, D., Gao, G.P., Hildinger, M., Wang, L., and Wilson, J.M. Non-invasive gene transfer to lung for systemic delivery of therapeutic proteins. J Clin Invest, in press, 2002.
- Auricchio, A., Gao, G.P., Yu, Q.C., Raper, S., Rivera V., and Wilson, J.M. Constitutive and regulated expression of processed insulin following *In Vivo* Hepatic Gene Transfer. Gene Thera, 9:962-970, 2002.

Cohen, C., Xiang, Z.Q., Gao, G.P., Ertl, H.C.J., Wilson, J.M., and Bergelson, J.M. Chimapanzee adenovirus 68 adapted as a gene delivery vector interacts with the coxsackievirus and adenovirus receptor (CAR). J Gen Virol, 83:151-155, 2002.

- Gao, G.P., Lu, F.M., Sanmiguel, J.C., Tran, PT., Abbas, Z., Lynd, K.S., Marsh, J., Spinner, N.B., and Wilson, J.M. Rep/Cap gene amplification and high yield production of AAV in an A549-Cell line expressing Rep/Cap. Mol Thera, 5:644-649, 2002.
- Varnavski, A.N., Zhang, Y., Schnell, M., Tazelaar, J., Louboutin, J.P., Yu Q.C., Bagg, A., Gao, G.P., and Wilson, J.M. Preexisting immunity to Adenovirus in rhesus monkeys fails to prevent vector-induced toxicity. J Virol, 76:5711-5719, 2002.
- Xiang, Z.Q., Gao, G.P., Reyes-Synoval, A., Cohen, C.J., Li Y., Wilson, J.and Ertl, H.C.J. Novel, chimpanzee serotype 68-based adenoviral vaccine carrier for induction of antibodies to a transgene product. J Virol, 76:2667-2675, 2002.
- Auricchio, A., Hildinger, M., O'Connor, E., Gao, G.P. and Wilson J.M. Isolation of highly infectious and pure AAV2 vectors with a single-step gravity-flow column. *Hum Gene Thera*, 12:71-76, 2001.
- Cordier, L., Gao, G.P., Hack, A.A., McNally, E.M., Wilson, J.M., Chirmule, N., and Sweeney, H.L. Muscle-specific promoters may be necessary for AAV-mediated gene transfer in the treatment of muscular dystrophies. Hum Gene Thera, 12: 205-215,2001.
- Cordier, L, Gao, G.P., Wilson, J.M., Chirmule, N., and Sweeney, L.H. Use of muscle-specific promoter may be necessary for AAV-mediated gene transfer in the treatment of muscle dystrophies. *Hum Gene Thera*, 12:205-215, 2001.
- Dejneka, N.S., Auricchio, A., Maguire, A.M., Ye, X., Gao, G.P., Wilson, J.M. and Bennett, J. Pharmacologically-regulated gene expression in the retina following transduction with viral vectors. *Gene Thera*, 8:442-446, 2001
- Eck, S.L., Alavi, J.B., Judy, K., Phillips, P., Alavi, A., Hackney, D., Cross, P., Hughes, J., Gao, G.P., Wilson, J.M., and Propert, K. Treatment of recurrent or progressive malignant glioma with a

- recombinant adenovirus expressing human interferon-beta (H5.010CMVhIFN- $\beta$ ): A phase I trial. Hum Gene Thera, 12:97-113, 2001.
- Gao, G.P., Farina, S.F., Xiang, Z.Q., Rux, J.J., Burnett, R.M., Alvira, M.R., Marsh, J., Ertl, H.C.J., and Wilson, J.M. A replication defective vector based on a chimpanzee adenovirus. J Virol, 75:11606-11613, 2001.
- Gao, G.P., Tao, N., Parr, M., Johnston, J., Baradet T., Wilson, J.M., Barsoum, J., and Fawell, S.E. Sequestration of adenoviral vector by Kupffer cells lads to a non-linear dose response of transduction in liver. Mol Therapy, 3:28-35, 2001.
- Hildinger, M., Auricchio, A., Gao, G.P., Wang, L., Chirmule, N. and Wilson, J.M. Hybrid vectors based on adeno-associated virus serotypes 2 and 5 for muscle-directed gene transfer. J Virol, 75:6199-6203, 2001.
- Odaka, M., Sterman, D.H., Wiewordt, R., Zhang, Y., Kiefer, Amin K., Gao, G.P., Wilson, J.M., Barsoum J., Kaiser, L. and Albelda, S.M. Eradication of intraperitoneal and distant tumor by adenovirus mediated interferon beta gene transfer due to induction of systematic immunity. Cancer Research, 61:6201-6212, 2001
- Raper, S.E., Yukoff, M., Chirmule, N., Gao., G.P., Nunes, F., Haskal, Z.J., Furth, E.E., Propert, K.J., Robinson, M.B., Magosin, S., Simoes, H., Speicher, L., Hughes, J., Tazelaar, J., Wivel, N.A., Wilson, J.M. and Batshaw, M.L. A pilot study of *in vivo* liver-directed gene transfer with an adenovirus vector in partial ornithine transcarbamylase deficiency. Hum Gene Thera, 13:163-175, 2001.
- Schnell, M.A., Zhang, Y., Tazelaar, J., Gao, G.P., Yu, Q.C., Qian, R., Chen, S., Varnavski, A.N., LeClair, C., Raper, S.E., and Wilson, J.M. Activation of innate immunity in nonhuman primates following intraportal administration of adenoviral vectors. Mol Therapy, 3:708-722, 2001.
- Zhang, Y., Schnell, M.A., Tazelaar, J., Gao., G.P., Yu, Q.C., Qian, R., Chen, S., Varnavski, A., Le Clair C., Raper S.E., and Wilson, J.M. Activation of innate immunity in nonhuman primates following intraportal administration of adenovirus vectors. *Mol Therapy*, (in press), 2001.
- Zhang, Y., Chirmule, N., Gao., G.P., Qian, R., Croyle, MA., Joshi, B., Tazelaar, J., and Wilson, J.M. Acute cytokine response to systematic adenoviral vectors in mice is mediated by dendritic cells and macrophages. *Mol Therapy*, 3:697-707, 2001.
- Zoltick, P.W., Chirmule N., Schnell M.A., Gao, G.P., Hughes, J.V. and Wilson, J.M. Biology of E1-deleted adenovirus vectors in nonhuman primate muscle. *J Virol*, 75:5222-5229, 2001.
- Cordier, L., Hack, A.A., Scott, M.O., Barton-Davis, E.R., Gao, G.P., Wilson, J.M., McNally, E.M., and Sweeney, H.L. Rescue of skeletal muscles of Gamma-sarcoglycan deficient mice with AAV-mediated gene transfer. Mol Therapy, 1: 119-129. 2000
- Chen, J.C., Rader, D.J., Tazelaar, J., Kawashiri, M., Gao, G.P., And Wilson, J.M. Prolonged correction of hyperlipidemia in mice with familial hypercholesterolemia using an adeno-associated viral vector expressing VLDL receptor. *Mol Therapy*, 2:256-261, 2000
- Gao, G.P., Qu, G., Burnham, M.S., Huang, J., Chirmule N.,

- Joshi., B., Yu, Q.C., Marsh, J.M, Conceicao C. A. and Wilson, J.M. Purification of recombinant adenoassociated virus vectors by column chromatography and its performance *in vivo*. *Hum Gene Thera*, 11:2079-2091, 2000.
- Gao, G.P., Engdahl, R.K. and Wilson, J.M. A cell line for highyield production of E1-deleted adenovirus vectors without the emergence of replication-competent virus. *Hum Gene Thera*, 11:213-219, 2000.
- Sarkar, R., Gao, G.P., Chirmule R., Tazzelaar, J., and Kazazian, H. Jr. Partial correction of murine hemophilia A with Neo-antigenic murine factor V III. *Hum Gene Thera*, 11:881-894, 2000.
- Watanabe, S., Imagawa, T., Boivin, G.P., Gao, G.P., Wilson, J.M., And Hirsch, R. Adeno-associated virus mediates long-term gene transfer and delivery of chondroprotective IL-4 to murine synovium. *Mol Therapy*. 2:147-152,2000
- Zhang, Y., Chirmule, N., Gao, G.P., and Wilson, J.M. CD40 ligand dependent activation of cytotoxic T lymphocytes by AAV vectors in vivo: Role of immature dendratic cells. *J Virol*, 74:8003-8010, 2000
- Bennett J., Maguire A.M., Cideciyan A.V., Schnell M., Glover E., Anand V., Aleman T.S., Chirmule N., Gupta A.R., Huang Y., Gao G.P., Nyberg W.C., Tazelaar J., Hughes J., Wilson J.M., and Jacobson S.G. Stable transgene expression in rod photoreceptors after recombinant adeno-associated virus-mediated gene transfer to monkey retina. *Proc Natl Acad Sci USA*, 96:9920-9925, 1999.
- Chirmule, N., Truneh, A., Haecker, S., Tazelaar, J., Gao, G.P., Raper, S., Hughes, J.V., Wilson, J.M. Repeated administration of adenoviral vectors in lungs of human CD4 transgenic mice treated with a non-depleting CD4 antibody. *J. Immunol*, 163:448-455, 1999.
- Greelish J.P., Su L.T., Lankford E.B., Burkman J.M., Chen H.,
  Konig S.K., Mercier I.M., Desjardins P.R., Mitchell M.A.,
  Zheng X.G., Leverovich J., **Gao G.P.**, Balice-Gordon R.J.,
  Wilson J.M. and Stedman H. Stable restoration of the
  sarcoglycan complex in dystrophic muscle perfused with
  histamine and a recombinant adeno-associated viral vector. *Nat Med*, 5:439-443, 1999.
- Grifman M, Chen N.N., Gao, G.P., Cathomen T., Wilson J.M. and Weitzman M. Overexpression of cyclin A inhibits augmentation of recombinant adeno-associated virus transduction by the adenovirus E4orf6 protein. *J Virol*, 73: 10010-10019, 1999.
- Lanuti, M., Gao, G.P., Force, S.D., Chang, M.Y., E1 Kouri, C., Amin, K., Hughes, J.V., Wilson, J.M., Kaiser, L.R., Albelda, S.M. Evaluation of an E1/E4-deleted adenovirus expressing the herpes simplex thymidine kinase suicide gene in cancer gene therapy. *Hum Gene Thera*, 10:463-475, 1999.
- Xiao, W.D., Chirmule, N., Berta, S.C., McCullough, B., Gao, G.P., Wilson, J.M. Gene Therapy Vectors Based on Adeno-associated Virus Type I. *J Virol*, 73:3994-4003, 1999.
- Ye X.H., Rivera, V.M., Zoltick, P., Cerasoli F., Schnell, M.A., Gao, G.P., Hughes, J.V., Gilman, M., Wilson, J.M. Regulated delivery of therapeutic proteins after in vivo somatic cell gene transfer. *Science*, 283:88-91, 1999.
- Chirmule, N., Hughes, J.V., Gao, G.P., Raper, E.S., and Wilson,

- J.M. The role of E4 in eliciting CD4 T-cell and B-cell responses to adenoviral vectors delivered to murine and nonhuman primate lungs. *J Virol*, 72:6138-6145, 1998.
- Gao, G.P., Qu, G., Faust, Lynn Z., Engdahl, Ryan K., Xiao, W.D., Hughes, J.V., Zoltick, P.W., and Wilson, J.M. High-titer adeno-associated viral vectors from a rep/cap cell line and hybrid shuttle virus. *Hum Gene Thera*, 9:2353-2362, 1998.
- Raper, S.E., Haskal, Z.J., Ye, X.H., Pugh, C., Furth, E.E., Gao, G.P., and Wilson, J.M. Selective gene transfer into the liver of non-human primates with E1-deleted, E2Adefective or E1-E4 deleted recombinant adenoviruses: a preclinical toxicology study. *Hum Gene Thera*, 9:671-679, 1998.
- Ye X., Gao G-P, Pabin C, Raper S.E. and Wilson J.M. Evaluating the potential of germ line transmission after intravenous administration of recombinant adenovirus in the C3H mouse. *Hum Gene Thera*, 9:2135-2142, 1998.
- Fisher, K.J., Gao, G.P., Weitzman, M.D., Dematteo, R., Burda, J.F., and Wilson, J.M. Trandsduction with recombinant adeno-associated virus for gene therapy is limited by leading-strand synthesis. *J Virol*, 70:520-532, 1996.
- Gao, G.P., Yang, Y.P., and Wilson J.M. Biology of adenoviral vectors deleted of E1 and E4 for liver-directed gene therapy. *J. Virol*, 70:8934-8943, 1996.
- Gao, G.P. and Herrera R. Enrichment of middle repetitive element Bm-1 transcripts in translationally active RNA fractions of the silkmoth, Bombyx mori. *Genetica*, 97:173-182, 1996.
- Kaul, R\*., Gao, G.P., Matalon, R., Aloya, M., Su, Q., Jin, M., Johnson, A.B., Schutgens, R.B.H., and Clarke, J.T.R. Identification and expression of eight novel mutations among non-Jewish patients with Canavan disease. Am J Hum Genet 59:95-102, 1996.
- Kaul, R\*., Gao, G.P., Michals, K., Whelan, D., Levin, S., and Matalon, R. (1995) Novel cys152 -> arg missense mutation in Arab patients with Canavan disease. *Hum Mutat*, 5:269-271, 1995.
- Matalon, R., Kaul, R\*., Gao, G.P., Michals, K., Gray, R.G.F.,
  Bennett-Briton, S., Norman, A., Smith, M., and Jakobs,
  C. Prenatal diagnosis for Canavan disease: the use of
  DNA markers. J. Inhert Metabol Dis, 16:215-217, 1995.
- Kaul, R\*., Balamurugan, K., Gao, G.P., and Matalon, R. Canavan disease: genomic organization of human ASPA to 17p13-ter; conservation of the ASP gene during evolution. Genomics, 2:364-370, 1994.
- Kaul, R\*., Gao, G.P., Balamurugan, K., and Matalon, R. Canavan Disease: molecular basis of spartoacylase deficiency. J Inhert Metabol Dis,. 17:295-297, 1994.
- Kaul, R\*., Gao, G.P., Aloya, M., Balamurugan, K., Petrosky, A., Michals, K., and Matalon, R\*. Canavan Disease: mutations among Jewish and Non-Jewish Patients. Am J Hum Genet, 55:34-4, 1994.
- Kaul, R\*., Gao, G.P., Balamurugan, K., and Matalon, R. Cloning of the human aspartoacylase cDNA and a common missense mutation in Canavan Disease. *Nature Genet*, 5:118-123, 1993.

- \*Ph.D. dissertation advisor and the publications generated from my dissertation project
- von Sternberg, R.M., Novick, G.E., Gao, G.P., and Herrera, R.J.
  Genome canalization: the coevolution of transposable and
  Interspersed repetitive elements with single copy DNA
  Genetica, 86:215-246, 1992.
- Yang, J.Y., Gao, G.P., Peng, X.F., Zeng, R., and Zhu, X.F.
  Studies on the new technique of preparing pancreatin
  from swine pancreas in accordance with the standard
  of the three enzymes in the Chinese Pharmacopeia, (1986).
  West China J. Pharmaceutical Sci., 3:15-18, 1988.
- Yang, JY., Gao, G.P., Peng, X.F., Zeng, R., and Zhu, X.F. The relation among the activities of three enzymes in the process of preparing pancreatin from swine pancreas. West China J. Pharmaceutical Sci, 2:198-202, 1988.

#### Patents:

- Gao.G.P, Wilson,H.M, Vandenberghe, L.H and Mauricio, R. A. AAVClades and Novel Sequences Thereof
- Gao, G.P and Wilson J.M. Direct rescue of infectious endogenous AAVs from NHP tissues.
- Gao, G.P. Wilson, J.M, and Alvira MR. Method of detecting and/or identifying AAV Sequences and isolating novel sequences identified thereby.
- Gao, G.P. Wilson, J.M, and Alvira MR. Novel AAV Serotype 8 Sequences and uses therefore
- Gao, G.P. Wilson, J.M, and Alvira MR. Novel AAV Serotype 9 Sequences and uses therefore
- Gao, G.P. and Wilson, J.M. Methods for efficient rescue and high throughput creation of adenovirus vectors.
- Gao, G.P. and Wilson, J.M.. Non-HeLa-based rep/cap cell lines for production of AAV vectors. In the process of filing.
- Gao, G.P. and Wilson, J.M. Compositions and methods for increasing packaging and yields of recombinant adenoviruses using multiple packaging signals. GNVPN.40(UPN-M2219)
- Gao G.P. and Wilson, J.M. and Cell lines useful in production of E1-Deleted adenovirus. GNVPN. 037(UPN-M2175)
- Gao, G.P. and Wilson, J.M. Methods for helper-free production of recombinant adeno-associate viruses. GNVPN.030USA (UPN-K1775), filed on 2/98.
- Gao, G.P. and Wilson, J.M., and Methods and cells lines for production of recombinant adeno-associated viruses. US Patent No. 6,258, 595.
- Gao, G.P. and Wilson, J.M., and Novel adenovirus gene therapy vehicle and cell lines. PTC/US96/08/549,489
- Wilson, J.M., Fisher, K., and Gao, G.P. Recombinant adenovirus and adeno-associated virus. PTC/US96/10,245
- Wilson, J.M., and Gao, G.P. Method for improved production of recombinant adenovirus vectors. Patent No. 5756283
- Matalon, R., Kaul, R., Gao, G.P., Balamurugan, K., Michals-Matalon, K. Aspartoacylase gene, protein, and methods of screening formutations associated with Canavan disease.

Patent No. 5679635

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: \_\_\_\_\_

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.